



New York State HIV/AIDS Surveillance Annual Report

For Cases Diagnosed
Through December 2013

*Bureau of HIV/AIDS Epidemiology
AIDS Institute
New York State Department of Health*

July 2015

TABLE OF CONTENTS

	Page
Introduction to the New York State HIV/AIDS Annual Surveillance Report	5-9
Technical Notes on the New York State HIV/AIDS Annual Surveillance Report.....	10-14
Definition of Terms Used in this Report.....	15-18
Guide to the Tables	19-24

STATEWIDE

Table 1	Newly Diagnosed HIV and AIDS Cases by Region and Year of Diagnosis and Deaths Among Persons Living with HIV or AIDS by Region and Year.....	25
Table 2A	Living HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk.....	26
Table 2B	HIV Cases Newly Diagnosed by Sex at Birth, Age, Race/Ethnicity and Risk.....	27
Table 2C	AIDS Cases Diagnosed and Cumulative by Sex at Birth, Age, Race/Ethnicity and Risk..	28
Table 2D	Deaths Among HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk....	29

REGIONAL

Table 3A	NYC – Living HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk	30
Table 3B	NYC – HIV Cases, Newly Diagnosed by Sex at Birth, Age, Race/Ethnicity and Risk	31
Table 3C	NYC – AIDS Cases, Newly Diagnosed and Cumulative by Sex at Birth, Age, Race/Ethnicity and Risk.....	32
Table 3D	NYC – Deaths Among HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk.....	33
Table 4A	Rest of State (NYS excluding NYC) - Living HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk	34
Table 4B	Rest of State (NYS excluding NYC) – HIV Cases, Newly Diagnosed by Sex at Birth, Age, Race/Ethnicity and Risk	35
Table 4C	Rest of State (NYS excluding NYC) – AIDS Cases, Newly Diagnosed and Cumulative By Sex at Birth, Age, Race/Ethnicity and Risk	36
Table 4D	Rest of State (NYS excluding NYC) – Deaths Among HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk.....	37

NYS, EXCLUDING NYC, by COUNTY

Table 5A	Living HIV and AIDS Cases by County.....	38-39
Table 5B	Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS by County	40-41
Table 5C	Deaths Among HIV and AIDS Cases by County.....	42-43

NYC by SEX at BIRTH

Table 6A	Males – Living HIV and AIDS Cases by Age, Race/Ethnicity and Risk	44
Table 6B	Males – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk	45
Table 6C	Males – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk	46
Table 6D	Males – Deaths Among HIV and AIDS Cases by Age Race/Ethnicity and Risk.....	47
Table 6E	Females – Living HIV and AIDS Cases by Age, Race/Ethnicity and Risk.....	48
Table 6F	Females – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk.....	49
Table 6G	Females – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk	50
Table 6H	Females – Deaths Among HIV and AIDS Cases by Age Race/Ethnicity and Risk.....	51

NYS, EXCLUDING NYC, by SEX at BIRTH (EXCLUDES PRISONERS)

Table 7A	Males – Living HIV and AIDS Cases by Age, Race/Ethnicity and Risk	52
Table 7B	Males – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk	53
Table 7C	Males – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk	54
Table 7D	Males – Deaths Among HIV and AIDS Cases by Age Race/Ethnicity and Risk.....	55
Table 7E	Females – Living HIV and AIDS Cases by Age, Race/Ethnicity and Risk.....	56
Table 7F	Females – HIV Cases, Newly Diagnosed by Age, Race/Ethnicity and Risk.....	57
Table 7G	Females – AIDS Cases, Newly Diagnosed and Cumulative by Age, Race/Ethnicity and Risk	58
Table 7H	Females – Deaths Among HIV and AIDS Cases by Age, Race/Ethnicity and Risk	59

PRISONERS - (NYS, EXCLUDING NYC)

Table 8A	Living HIV and AIDS cases by Sex at Birth, Age and Race/Ethnicity	60
Table 8B	Newly Diagnosed HIV and AIDS Cases by Sex at Birth, Age and Race/Ethnicity	61
Table 8C	Deaths Among HIV and AIDS Cases by Sex at Birth, Age and Race/Ethnicity	62

NYS, EXCLUDING NYC, by RYAN WHITE REGION

Table 9A	Living HIV and AIDS Cases by RWR	63
Table 9B	Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS by RWR	64
Table 9C	Deaths Among HIV and AIDS Cases by RWR.....	65

NYS, EXCLUDING NYC - RYAN WHITE REGIONS

The following four tables have been generated for each of the Ryan White Regions:

- A** – Living HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk
- B** – HIV Cases, Newly Diagnosed by Sex at Birth, Age, Race/Ethnicity and Risk
- C** – AIDS Cases, Newly Diagnosed and Cumulative by Sex at Birth, Age, Race/Ethnicity and Risk
- D** – Deaths Among HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk

Table 10 – A, B, C, D	Albany Ryan White Region	66-69
Table 11 – A, B, C, D	Binghamton Ryan White Region.....	70-73
Table 12 – A, B, C, D	Buffalo Ryan White Region	74-77
Table 13 – A, B, C, D	Lower Hudson Ryan White Region	78-81
Table 14 – A, B, C, D	Mid-Hudson Ryan White Region	82-85
Table 15 – A, B, C, D	Nassau/Suffolk Ryan White Region	86-89
Table 16 – A, B, C, D	Rochester Ryan White Region.....	90-93
Table 17 – A, B, C, D	Syracuse Ryan White Region.....	94-97

NYC – BOROUGHES

Table 18A	Living HIV and AIDS Cases by Borough	98
Table 18B	Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS by Borough.....	99
Table 18C	Deaths Among HIV and AIDS Cases by Borough	100

The following four tables have been generated for each of the Boroughs:

- A** – Living HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk
- B** – HIV Cases, Newly Diagnosed by Sex at Birth, Age, Race/Ethnicity and Risk
- C** – AIDS Cases, Newly Diagnosed and Cumulative by Sex at Birth, Age, Race/Ethnicity and Risk
- D** – Deaths Among HIV and AIDS Cases by Sex at Birth, Age, Race/Ethnicity and Risk

Table 19 - A, B, C, D	Bronx	101-104
Table 20 - A, B, C, D	Brooklyn	105-108
Table 21 - A, B, C, D	Manhattan	109-112
Table 22 - A, B, C, D	Queens	113-116
Table 23 - A, B, C, D	Staten Island	117-120

Introduction to the New York State HIV/AIDS Annual Surveillance Report

Important Changes in this Year's Report

This report for calendar year 2013 introduces a new method for counting newly diagnosed HIV cases. Effective May 2015, the NYSDOH Bureau of HIV/AIDS Epidemiology (BHAЕ) has changed the method used to classify people as new HIV diagnoses in New York State. This affects cases reported as new HIV diagnoses for years 2009 and following.

Newly identified cases whose surveillance records lacked clear dates of initial HIV diagnosis were not included in previous reports of new diagnoses. Under the new method, such cases diagnosed in 2009 and later are included as new diagnoses. However, they are not included in calculation of concurrency of HIV/AIDS diagnoses (See *Guide to the Tables, "B" Tables*), which requires precise knowledge of the date of diagnosis.

Counts of new diagnoses from this report should not be combined with counts from earlier reports to produce historical series that include years 2009-2013. Please contact BHAЕ (bhae@health.ny.gov) to obtain historical series data.

The new method is not applied to cases through 2008. Application of the new method to data from earlier years of HIV reporting would result in falsely elevated counts, since many people newly reported in that period had actually been diagnosed years earlier. HIV reporting began in June 2000, and the expansion of reporting of HIV related laboratory tests began June 2005. Thus, it was only in the years after 2005 that New York State Department of Health (NYSDOH) was able to build a comprehensive picture of persons living in NYS with diagnosed HIV infection. Other major changes in data collection that were put in place through 2009 included: (a) 2009 was the first year both NYSDOH and the New York City Department of Health and Mental Hygiene (NYCDOHMH) used the new Centers for Disease Control and Prevention (CDC) eHARS data system for reporting cases to the CDC, allowing enhanced data matching between

the two surveillance systems and improving data completeness; (b) electronic reporting of all HIV/AIDS laboratory results became mandatory in NYS in July 2008.

On average, the total annual number of new HIV diagnoses in each of the past five years increases by about 330 under the new method. Even with these higher numbers, the downward trajectory of new HIV diagnoses in NYS over time remains accurate. Classifying new diagnoses based on the new method has little impact on the relative distribution of cases across gender, age, race/ethnicity, and transmission risk groups.

New HIV Diagnoses, New York State, 2001-2008

Diagnosis Year	
2001	6,793
2002	6,070
2003	5,535
2004	5,149
2005	5,180
2006	4,878
2007	4,783
2008	4,641

New HIV Diagnoses, 2009-2013

Diagnosis Year	Old Method	New Method
2009	4,244	4,609
2010	3,854	4,165
2011	3,674	3,996
2012	3,403	3,706
2013	3,174	3,512

The revised method for counting newly diagnosed HIV cases has no impact on the major goals for the *Ending the Epidemic*¹ initiative. Estimates of new infections are determined by a CDC methodology that is not affected by how NYS categorizes new diagnoses. The additional persons classified as new diagnoses have always been included in NYS analyses of persons living with diagnosed HIV infection and measures of HIV care.

Important changes in HIV surveillance in 2013 and 2014 have required procedural adaptations. Applying these changes to data on new diagnoses from 2009 and beyond is reasonable and

¹ http://www.health.ny.gov/diseases/aids/ending_the_epidemic/

allows the community of persons interested in the HIV epidemic to follow the trends of the last few years. Furthermore, NYS's *Ending the Epidemic* efforts create a compelling impetus for more complete characterization of the newly reported and likely newly-diagnosed cases. *Ending the Epidemic* will require that we understand better the path of every HIV-infected individual in terms of opportunities for diagnosis, linkage, retention, and viral suppression.

Recent changes which affect surveillance data, and particularly new diagnoses, include:

- The newly recommended HIV Diagnostic Testing Algorithm
 - Many more laboratories are eligible to conduct and report this testing
 - These multiple tests are often conducted at different times and by different laboratories, which makes aggregating results for a single patient specimen more challenging.
- The April 2014 CDC case definition update had important changes that impacted HIV diagnosis date calculations.
- The CDC-sponsored national case deduplication process, which helps states determine the earliest diagnosis date for persons moving between states, has undergone recent substantial methodological changes.

The layout and content of the tables showing new diagnoses, such as Table 2B, have changed. Please see “Guide to the Tables”, below.

HIV/AIDS Surveillance Annual Surveillance Report - Overview

The Annual Surveillance Report presents recent data on newly diagnosed HIV cases and persons living with diagnosed HIV infection in New York State. Twenty-two sets of tables are grouped by major geographic division (New York State (NYS), New York City (NYC), NYS excluding NYC, Ryan White Regions², NYC boroughs). Most sets feature four tables on separate pages – (A) living HIV and AIDS cases, (B) new HIV diagnoses, (C) AIDS diagnoses and (D) deaths among HIV and AIDS cases. The historical table (Table 1) includes HIV and AIDS diagnoses, and deaths among persons with HIV and AIDS.

A) Living HIV (not AIDS), Living AIDS Cases and Living HIV/AIDS Cases

- The table features age-adjusted **prevalence rates** (living cases per 100,000 population) and shows the population. This allows comparison of rates between demographic groups and between geographic areas.
- Age is **current age** for the time point being reported, e.g. age at December 2013.

B) Newly Diagnosed HIV Cases

- **All** HIV cases newly diagnosed during the reporting period are counted, regardless of concurrent or subsequent AIDS diagnosis or vital status.
- New HIV diagnoses are categorized by AIDS diagnosis status. “HIV Non-AIDS” refers to cases without a subsequent AIDS diagnosis or with an AIDS diagnosis at least one month later than the date of HIV diagnosis. Cases with an AIDS diagnosis within one month of the date of HIV diagnosis are classified as “Concurrent HIV and AIDS”. “Uncertain concurrency” refers to cases whose date of diagnosis is not known with confidence; concurrency cannot be calculated for these cases.
- Age-adjusted **case rates** (cases per 100,000 population per year) are given for new HIV diagnoses.
- HIV non-AIDS, concurrent and “uncertain concurrency” diagnoses are also shown as percent of total new HIV diagnoses.

² This report presents tabulations for eight Ryan White regions covering New York State, exclusive of New York City: Albany, Binghamton, Buffalo, Lower Hudson, Mid-Hudson, Nassau/Suffolk, Rochester and Syracuse. For administrative purposes in certain Ryan White programs, Binghamton and Syracuse Regions are combined into Central New York Region, and Mid-Hudson and Lower Hudson are combined into Hudson Valley Region.

C) Newly Diagnosed AIDS Cases

- Age-adjusted case rates are given.

Cumulative AIDS cases are shown next to new AIDS diagnoses.

D) Deaths among HIV and AIDS Cases

- Deaths from all causes are shown separately for HIV, AIDS and total cases

Observations from the Current Report

- As of December 2013 over 133,000 New Yorkers were living with diagnosed HIV/AIDS. While the burden of HIV is heaviest in New York City, 21 percent of persons living with diagnosed HIV infection resided outside the five boroughs at the time of diagnosis.
- Statewide, **24 percent** of newly diagnosed HIV cases have a **concurrent AIDS diagnosis**.
- The tabulation of living cases by current age shows that HIV/AIDS should no longer be thought of as a young persons' disease. While the majority of HIV diagnoses occur before age 40, **76 percent of persons living with diagnosed HIV infection are over age 40 and 46 percent are age 50 or older**.
- In New York State HIV disproportionately affects minority populations. The rates of new HIV diagnoses among Blacks and Hispanics are **6.9** and **4.8** times higher, respectively, than the rate for Whites, and the prevalence rates are **8.1** and **5.7** times higher, respectively.

Technical Notes on the New York State HIV/AIDS Annual Surveillance Report

Introduction

This HIV/AIDS Annual Surveillance Report is produced by the Bureau of HIV/AIDS Epidemiology (BHAЕ), AIDS Institute, New York State Department of Health (NYSDOH). Access to this publication is available through the Internet at the following address:

<http://www.health.ny.gov/diseases/aids/general/statistics/annual/index.htm>

Printed copies can be obtained by contacting:

Division of Epidemiology, Evaluation and Research

P.O. Box 2073, ESP Station

Albany NY 12220-0073

(518) 474-4284

bhae@health.ny.gov

Information presented in this report is generated from data collected and maintained by BHAЕ and the HIV Epidemiology and Field Services (HEFS) Program of the NYC Department of Health and Mental Hygiene (NYCDOHMH). More finely delineated breakouts may be obtained through the BHAЕ data request unit by calling the above phone number or email address.

Source Data

This report was produced using the April 2015 BHAЕ Statewide Analysis file. The Analysis file combines surveillance data from the New York State and New York City HIV/AIDS surveillance registries.

Reporting Procedures

On June 1, 2000, the NYSDOH implemented the HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III). This law enhanced the existing AIDS case reporting by requiring health care providers to report all initial determinations of HIV infection,

HIV-related illness and AIDS to the NYS Commissioner of Health.³ Under the amended HIV testing law (Chapter 308 of the Laws 2010), providers are required to report such determinations within 14 days of receipt of positive laboratory result or after diagnosis, whichever is sooner. Until June 2005, laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 cells/mm³ or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests and genotype results of antiretroviral drug resistance tests. In 2010, laboratory reporting requirements were broadened to include electronic reporting of any laboratory test, tests or series of tests approved for the diagnosis of HIV or for the periodic monitoring of HIV infection <http://www.wadsworth.org/labcert/regaffairs/clinical/commmdiseaseguide.pdf>).

Laboratories conducting HIV-related testing must report directly to the NYSDOH. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 03/09. Copies can be obtained by calling 518-474-4284. Additional information about provider reporting is available at <http://www.health.ny.gov/diseases/aids>.

NYS providers **outside** of NYC should mail the completed PRF to:

Division of Epidemiology, Evaluation and Research
P.O. Box 2073, ESP Station
Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

³ HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local program or the NYS TB Control Program at (518) 474-4845.

Record Updates:

HIV/AIDS surveillance files are never closed. When additional information is received on a case after the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. For example, new information may indicate that two surveillance cases in fact refer to a single individual. Surveillance system records for the two cases will be combined, reducing the case count for the geographic area, demographic or risk group of the combined cases.

HIV/AIDS Surveillance Case Definition:

A uniform surveillance case definition for AIDS was established by the Centers for Disease Control and Prevention (CDC) in the early 1980s, and has since been modified to expand the range of AIDS-indicator diseases and conditions and to incorporate HIV diagnostic tests. Modifications in 1985 and in 1987 were followed by the 1993 expansion of the AIDS case definition for adults and adolescents, which includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOHMH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

In 2008 CDC revised the HIV case definition⁴, designating AIDS as “stage 3 HIV infection.” This Annual Report continues to use the term AIDS to refer to this stage of disease. The 2008 case definition also requires laboratory-confirmed evidence of HIV infection. Since virtually all

⁴ Revised Surveillance Case Definitions for HIV Infection Among Adults, Adolescents, and Children Aged <18 Months and for HIV Infection and AIDS Among Children Aged 18 Months to <13 Years — United States, 2008;MMWR, Dec. 5 2008, vol. 57, No. RR-10

HIV cases entered into the NYS surveillance system meet this requirement it did not materially affect case counts.

In April, 2014, CDC again revised the HIV case definition⁵. Under the 2014 definition, (1) adult and pediatric definitions are covered under a single rubric; (2) “stage 0 HIV infection” is used to denote cases with a negative HIV test within 6 months of diagnosis; (3) laboratory criteria for “stage 3 HIV infection” refer to CD4 + T-lymphocyte percentage only if CD4+ T-cell counts are not reported; and, (4) laboratory criteria for defining a confirmed case now accommodate the multitest algorithm which entered widespread use in 2013. The new case definition went into effect after the preparation of data for this report and is not reflected in these tabulations.

Deduplication:

The HIV/AIDS case data used in this Annual Report have undergone both inter- and intra-state deduplication.

New York participates in CDC's Routine Interstate Duplicate Review (RIDR) program. RIDR is an ongoing effort to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases are only counted once. If a case is reported by two or more states, the earliest date of diagnosis is used to determine which state the case was assigned to. Cases in the New York registry that are known through RIDR to have been initially diagnosed while resident in another state are excluded from the Annual Report.

The Annual Report case data have also been deduplicated between NYC and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's BHAE. In NYC, HIV/AIDS surveillance is conducted by the NYCDOHMH HEFS Program. Often, the same case will be reported to both jurisdictions. The NYC and NYS departments of health report HIV/AIDS data separately to CDC, and the combined file can contain certain cases twice. At the national level, CDC deduplicates the data between the two jurisdictions for its own use. The goal of CDC's process is to ensure that each case is only counted once and is credited to the case's state of residence at the time of the earliest report. This deduplicated count provides

⁵ Revised Surveillance Case Definition for HIV Infection — United States, 2014; MMWR, Apr. 11, 2008, vol. 63, No. 3

the basis for Ryan White and other federal funding received by NYS. The data used in this report have been deduplicated by BHAЕ following an algorithm similar to that originated by CDC. Since May 2010, BHAЕ has also performed further adjustments to the data using information from an intrastate extension of the RIDR process. This removes several hundred additional duplicate records, but, importantly, returns to the analysis file some 3,000 unique cases that are excluded by the base procedure.

On-going refinement of the data may also contribute to geographical reassignment of cases at the state, regional and/or county and local levels.

Age Adjustment:

The diagnosis and prevalence rates for total population, sex and race/ethnicity in the report are age-adjusted to the U.S. 2010 Census population. The purpose of the adjustment is to enable comparisons of rates between areas or demographic groups which differ in age structure. In general, the adjusted rates in this report are similar to the crude (unadjusted) ones. Readers interested in the crude rates may derive them by dividing the case counts by the 2013 populations (National Center for Health Statistics, Bridged-Race Vintage 2013 Postcensal File, released 2014.) which are given in the Living Cases table for each geographic region.

Data Completeness:

Newly diagnosed HIV and AIDS cases: Historical data indicate that counts of new HIV and AIDS diagnoses are approximately 95% complete by one calendar year after the close of the reporting period.

Living HIV and AIDS Cases: Because living cases include cases diagnosed in previous years as well as newly-diagnosed cases, delays in case reporting and ascertainment have little practical effect on the count. However, counts of living cases may be affected by delays in death reporting and incompleteness of matching death records to surveillance data.

Definition of Terms Used in this Report

Case: “Case” refers to a report for which confirmatory clinical and demographic data required by the CDC have been obtained. Reports received without sufficient information to confirm the suspected case or a confirmed case reported without required demographic or other key variables, including risk factors, are investigated by NYS or NYC staff who examine medical records to confirm case status, obtain demographic information, clinical status and reported HIV exposure (risk).

HIV and AIDS Case Categories:

- ***Living HIV Cases*** - All reported individuals living with HIV infection who have not developed AIDS. This category includes HIV cases identified through laboratory report of a positive test result from an approved diagnostic test and/or reported by a provider indicating an HIV diagnosis or an HIV illness.
- ***Newly Diagnosed HIV Cases*** - HIV cases that have been reported for the first time by a laboratory reporting a confirmatory test result or by a physician reporting an initial HIV diagnosis, regardless of concurrent or subsequent AIDS diagnosis. Although DOH staff seek to obtain an accurate diagnosis date, please note that HIV reporting began in June 2000, so cases diagnosed before then by a provider other than the provider reporting the case may be misclassified as newly diagnosed. (See **Diagnosis date**, below.)
- ***Living AIDS Cases*** - All reported living individuals who have ever met CDC criteria for Stage 3 HIV disease (AIDS).
- ***Newly Diagnosed AIDS Cases*** – Cases reported with AIDS for the first time. This includes new HIV cases concurrently diagnosed with AIDS and cases initially reported with HIV infection that have subsequently developed AIDS.
- ***Cumulative AIDS Cases*** - All AIDS cases reported since 1983, both living and deceased. There is no corresponding category for HIV cases.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department. The date of diagnosis is unrelated to the timing of

initial infection or disease acquisition.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically gathered by health care providers during routine medical history taking and is obtained from review of the patient's medical records, or may be obtained during routine follow-up for Partner Services. An individual could have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Female presumed heterosexual contact
- Adult with undetermined mode of exposure

Children:

CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive

- Transfusion or transplant recipient
- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure is ranked higher than heterosexual contact on the hierarchy.

Under the standard CDC risk hierarchy, an individual for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if the partner's risk and/or HIV status is documented. In the absence of such information, the case is classified as having an undetermined exposure category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. The Female Presumed Heterosexual Contact categorization addresses this issue in women whose surveillance record indicates heterosexual activity. There is no corresponding classification for males; thus, a proportion of male cases with an undetermined exposure category may be heterosexually exposed.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Age:

Age at Diagnosis: The individual's age at the initial diagnosis of the condition in question (i.e. HIV or AIDS). As noted above, CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Current Age: The individual's age at the end of the reporting period.

Living Cases: Vital status of cases is determined from updated case reports, medical record review, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, from Social Security Death master File and the National Death Index. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed while incarcerated or reported in city or county jails or one of the NYS Department of Corrections and Community Supervision (DOCCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCCS facility. Prison cases are often presented separately from general population data because, if diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than the pre-incarceration home address. In this report, tabulations for the whole state, NYC and its boroughs, and NYS excluding NYC (Tables 4A, 4B and 4C) include prisoners. In other geographic areas, prisoners make up a significant but shifting proportion of cases, and are excluded from those tables. Refer to table titles and footnotes to determine inclusion or exclusion of prisoner cases.

Residence: In this report, new HIV and AIDS diagnoses are presented by county of residence at the time of diagnosis, as reported in the surveillance record. Similarly, living AIDS cases are assigned to the county of residence at AIDS diagnosis. Living HIV cases diagnosed with AIDS after the close of the report period are presented by county of HIV diagnosis. For example, a case diagnosed with HIV in Albany County in 2013 and diagnosed with AIDS in Monroe County in 2014, would be included among living HIV cases in Albany County in the annual report for December 2013.

(**Note:** BHAE is able to supply counts of living cases by current residence, rather than residence at diagnosis. Please contact bhae@health.ny.gov.)

Guide to the Tables

Most of the tables in this report are in one of three formats: (A) Living Cases, (B) Newly Diagnosed HIV Cases, (C) Newly Diagnosed and Cumulative AIDS Cases or (D) Deaths among HIV and AIDS Cases. Each geographic region – State, substate (NYC, NYS excluding NYC), Ryan White Region, NYC borough – is represented by a set of four tables, one in each format. These main formats are presented in detail below.

Counties:

Except for the boroughs of NYC, individual counties lack sufficient cases for statistically reliable display in the main table format. The county tables (5A, 5B, 5C) show new diagnoses, living cases, cumulative AIDS cases and deaths among reported HIV and AIDS cases without demographic breakouts. Readers may contact BHAЕ to obtain more detailed county information.

Prisoners:

The tables for NYS excluding NYC by sex (Tables 7A-7H) and the Ryan White Regions exclude prisoners, as noted in the table titles. The prisoner tables (8A, 8B, 8C) show persons identified as prisoners in state correctional facilities outside NYC. Because of the way cases are reported, the county of residence of these cases reflects the county of incarceration at the time of diagnosis or first report, which may differ from the individual's home county and later county of incarceration. Since the movement of prisoners between facilities is not recorded in the HIV surveillance system, accurate county and regional tabulations of inmates living with diagnosed HIV infection cannot be developed using HIV surveillance data. The county tables (5A, 5B, 5C) and Ryan White Region summary tables (9A, 9B, 9C) present counts both with and without prisoners in order to show the general effect of prisoners on case counts at the county level.

Guide to the Tables

The "A" Tables (Example: Table 2A)

Table 2A

NEW YORK STATE: Includes all 62 Counties
Living HIV and AIDS Cases as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		53,566	100.0	269.0	79,700	100.0	397.9	133,266	100.0	666.9	19,651,127
Sex at Birth	Male	37,877	70.7	390.3	56,180	70.5	581.8	94,057	70.6	972.1	9,536,193
	Female	15,689	29.3	154.0	23,520	29.5	228.6	39,209	29.4	382.6	10,114,934

Living Cases: Persons living with HIV (not AIDS) and AIDS at the end of the report period (in this case December 2013). These are summed to produce a total count of people living with HIV/AIDS.

Prevalence Rate: The number of living cases per 100,000 population, age-adjusted to the U. S. 2010 Census population. The purpose of age-adjustment is to allow comparison of rates among populations with differing age distributions. The crude (unadjusted) rate can be derived by dividing living cases by the area population. In the example above, the crude prevalence rate of total living HIV and AIDS cases in NYS is $(133,266 \div 19,651,127) \times 100,000 = 678.2$ per 100,000, somewhat higher than the age-adjusted rate of 666.9 per 100,000.

Area Population: National Center for Health Statistics, Bridged-Race Vintage 2013 Postcensal File. (Released 2014.)

Guide to the Tables

The "B" Tables (Example: Table 2B)

Table 2B

NEW YORK STATE: Includes all 62 Counties
Newly Diagnosed HIV Cases* 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent $B \div (A+B) \times 100$
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		2,544	100.0	786	100.0	182	100.0	3,512	100.0	17.4	23.6
Sex at Birth	Male	2,007	78.9	615	78.2	148	81.3	2,770	78.9	27.8	23.5
	Female	537	21.1	171	21.8	34	18.7	742	21.1	7.3	24.2

HIV Diagnoses: All newly diagnosed HIV cases, regardless of concurrent or subsequent AIDS diagnosis. Some of these cases may *also* be diagnosed with AIDS during the reporting period (in this case, January-December 2013), and those AIDS diagnoses will be reported in the accompanying AIDS diagnosis table (Table 2C).

HIV Non-AIDS: HIV without subsequent AIDS diagnosis or with AIDS diagnosis more than one month after HIV diagnosis.

Concurrent HIV & AIDS: Newly diagnosed HIV cases with an AIDS diagnosis within a month of the HIV diagnosis date.

Uncertain Concurrency: Newly diagnosed HIV cases without a confident diagnosis date for calculation of concurrency.

Case (diagnosis) Rate: The number of newly diagnosed cases per 100,000 population, age-adjusted to the U. S. 2010 Census population. The purpose of age-adjustment is to allow comparison of rates among populations with differing age structures. The crude (unadjusted) rate can be derived by dividing new diagnoses by the area population. Following the previous example, the crude diagnosis case rate in NYS is $(3,512 \div 19,651,127) \times 100,000 = 17.9$ per 100,000, almost the same as the age-adjusted rate of 17.4 per 100,000.

Percent Concurrent: The percent of newly diagnosed cases that are also diagnosed with AIDS within one month of the HIV diagnosis date.

Guide to the Tables

The "C" Tables (Example: Table 2C)

Table 2C

***NEW YORK STATE: Includes all 62 Counties
AIDS Cases, Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk***

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate**	Number	Percent
Total		2,093	100.0	10.5	202,341	100.0
Sex at Birth	Male	1,542	73.7	15.7	149,682	74.0
	Female	551	26.3	5.4	52,659	26.0

AIDS Diagnoses: AIDS diagnoses may occur among persons newly diagnosed with HIV (i.e., within the report period) as well as among those diagnosed earlier. HIV diagnoses and AIDS diagnoses **cannot** be added in a meaningful way.

For concurrent cases with an HIV diagnosis in the last month of the reporting period, the accompanying AIDS diagnosis may occur in the next reporting period. For example, some concurrent cases diagnosed with HIV in December 2013 were diagnosed with AIDS in January 2014. The January-December 2013 report will not count their AIDS diagnosis in this table; on the other hand, it *will* count the AIDS diagnoses of some concurrent cases diagnosed with HIV in December 2013. This is of little practical significance.

Case Rate: The AIDS case (diagnosis) rate is calculated the same way as the HIV case (diagnosis) rate (see Guide to "B" Tables).

Guide to the Tables

The "D" Tables (Example: Table 2D)

Table 2D

*NEW YORK STATE: Includes all 62 Counties**Deaths Among HIV and AIDS Cases (January-December 2013), by Sex at Birth, Age, Race/Ethnicity and Risk*

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		307	100.0	1,697	100.0	2,004	100.0
Sex at Birth	Male	229	74.6	1,153	67.9	1,382	69.0
	Female	78	25.4	544	32.1	622	31.0

Deaths Among HIV Cases: Deaths among persons with HIV-only diagnosis, regardless of cause of death.**Deaths Among AIDS Cases:** Deaths among persons diagnosed with AIDS, regardless of cause of death.**Total Deaths:** Total deaths, regardless of stage of HIV disease and cause of death.

NEW YORK STATE: Includes all 62 Counties
Newly Diagnosed HIV and AIDS Cases by Region and Year of Diagnosis
and Deaths Among Persons Living with HIV or AIDS by Region and Year

	HIV*						AIDS					
	Diagnoses			Deaths			Diagnoses			Deaths		
Year	NYC	ROS	Total	NYC	ROS	Total	NYC	ROS	Total	NYC	ROS	Total
Prior to 1985	3,600	440	4,040	1,870	221	2,091
1985	2,725	451	3,176	1,771	292	2,063
1986	3,917	706	4,623	2,564	489	3,053
1987	4,868	1,029	5,897	3,166	637	3,803
1988	6,015	1,297	7,312	4,038	769	4,807
1989	6,365	1,613	7,978	4,974	1,000	5,974
1990	7,250	1,778	9,028	5,331	1,087	6,418
1991	8,374	2,156	10,530	6,041	1,340	7,381
1992	10,121	2,677	12,798	6,467	1,573	8,040
1993	11,859	2,831	14,690	6,889	1,622	8,511
1994	11,688	2,609	14,297	7,742	1,850	9,592
1995	10,495	2,627	13,122	7,675	1,923	9,598
1996	8,656	2,188	10,844	5,655	1,357	7,012
1997	6,913	1,567	8,480	3,203	743	3,946
1998	5,295	1,287	6,582	2,584	632	3,216
1999	4,982	1,240	6,222	2,625	616	3,241
2000**	4,619	1,102	5,721	152	29	181	5,841	1,458	7,299	2,540	612	3,152
2001	5,528	1,265	6,793	299	82	381	5,240	1,333	6,573	2,422	585	3,007
2002	4,962	1,108	6,070	343	86	429	4,361	1,220	5,581	2,410	552	2,962
2003	4,433	1,102	5,535	332	97	429	5,037	1,214	6,251	2,382	603	2,985
2004	4,079	1,070	5,149	312	130	442	4,078	1,058	5,136	2,206	566	2,772
2005	4,182	998	5,180	314	118	432	3,994	1,109	5,103	2,171	566	2,737
2006	3,915	963	4,878	295	84	379	3,670	890	4,560	2,010	516	2,526
2007	3,866	917	4,783	267	100	367	3,489	912	4,401	1,908	498	2,406
2008	3,690	951	4,641	292	89	381	3,210	807	4,017	1,896	467	2,363
2009†	3,656	953	4,609	303	76	379	2,904	681	3,585	1,779	439	2,218
2010	3,208	957	4,165	309	100	409	2,429	603	3,032	1,585	423	2,008
2011	3,056	940	3,996	295	87	382	2,104	616	2,720	1,559	381	1,940
2012	2,853	853	3,706	296	88	384	1,845	526	2,371	1,427	402	1,829
2013	2,615	897	3,512	254	53	307	1,605	488	2,093	1,348	349	1,697
Total	54,662	14,076	68,738	4,063	1,219	5,282	162,930	39,411	202,341	100,238	23,110	123,348

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**HIV reporting started in June 2000. No earlier data are available.

†The method used to identify HIV cases diagnosed through 2008 is the same as that used for all diagnosis years in previous Annual Surveillance Reports. Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Please see Technical Notes.

Table 2A

NEW YORK STATE: Includes all 62 Counties
Living HIV and AIDS Cases as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		53,566	100.0	269.0	79,700	100.0	397.9	133,266	100.0	666.9	19,651,127
Sex at Birth	Male	37,877	70.7	390.3	56,180	70.5	581.8	94,057	70.6	972.1	9,536,193
	Female	15,689	29.3	154.0	23,520	29.5	228.6	39,209	29.4	382.6	10,114,934
Current Age	12 & under	127	0.2	4.2	12	0.0	0.4	139	0.1	4.6	3,021,289
	13-19	654	1.2	37.1	297	0.4	16.9	951	0.7	54.0	1,760,542
	20-24	2,323	4.3	161.2	1,225	1.5	85.0	3,548	2.7	246.3	1,440,691
	25-29	4,316	8.1	298.4	2,127	2.7	147.1	6,443	4.8	445.5	1,446,167
	30-39	10,587	19.8	410.3	7,709	9.7	298.8	18,296	13.7	709.1	2,580,243
	40-49	15,487	28.9	579.0	21,955	27.5	820.9	37,442	28.1	1399.9	2,674,593
	50-59	13,838	25.8	500.0	29,762	37.3	1075.4	43,600	32.7	1575.5	2,767,408
	60+	6,228	11.6	157.3	16,608	20.8	419.4	22,836	17.1	576.6	3,960,194
	Unk	6	0.0	.	5	0.0	.	11	0.0	.	.
Race/Ethnicity	White Not-Hispanic	12,885	24.1	111.1	14,728	18.5	119.1	27,613	20.7	230.3	11,370,913
	Black Not-Hispanic	21,452	40.0	722.0	34,001	42.7	1167.7	55,453	41.6	1889.7	2,968,187
	Hispanic	16,148	30.1	477.7	26,813	33.6	881.8	42,961	32.2	1359.5	3,606,786
	Asian/PI	939	1.8	51.7	891	1.1	53.4	1,830	1.4	105.1	1,634,380
	Native Am	46	0.1	65.5	52	0.1	76.0	98	0.1	141.5	70,861
	Multi Race**	1,771	3.3	.	3,182	4.0	.	4,953	3.7	.	.
	Unk	325	0.6	.	33	0.0	.	358	0.3	.	.
Risk	MSM	21,943	41.0	.	24,303	30.5	.	46,246	34.7	.	.
	IDU	4,936	9.2	.	16,642	20.9	.	21,578	16.2	.	.
	MSM/IDU	1,062	2.0	.	2,694	3.4	.	3,756	2.8	.	.
	Heterosexual	8,687	16.2	.	14,446	18.1	.	23,133	17.4	.	.
	Fem. Presumed Het.	7,012	13.1	.	7,659	9.6	.	14,671	11.0	.	.
	Blood Prod.	44	0.1	.	218	0.3	.	262	0.2	.	.
	Pediatric Risk	1,150	2.1	.	1,528	1.9	.	2,678	2.0	.	.
	Unk	8,732	16.3	.	12,210	15.3	.	20,942	15.7	.	.

Data as of April 2015.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE: Includes all 62 Counties
Newly Diagnosed HIV Cases* 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		2,544	100.0	786	100.0	182	100.0	3,512	100.0	17.4	23.6
Sex at Birth	Male	2,007	78.9	615	78.2	148	81.3	2,770	78.9	27.8	23.5
	Female	537	21.1	171	21.8	34	18.7	742	21.1	7.3	24.2
Age at Diagnosis	12 & under	5	0.2	1	0.1	.	.	6	0.2	0.2	16.7
	13-19	130	5.1	9	1.1	2	1.1	141	4.0	8.0	6.5
	20-24	475	18.7	65	8.3	33	18.1	573	16.3	39.8	12.0
	25-29	528	20.8	102	13.0	19	10.4	649	18.5	44.9	16.2
	30-39	604	23.7	173	22.0	45	24.7	822	23.4	31.9	22.3
	40-49	427	16.8	227	28.9	50	27.5	704	20.0	26.3	34.7
	50-59	266	10.5	127	16.2	20	11.0	413	11.8	14.9	32.3
	60+	109	4.3	82	10.4	13	7.1	204	5.8	5.2	42.9
Race/Ethnicity	White Not-Hispanic	487	19.1	154	19.6	53	29.1	694	19.8	6.2	24.0
	Black Not-Hispanic	954	37.5	311	39.6	73	40.1	1,338	38.1	43.2	24.6
	Hispanic	871	34.2	264	33.6	42	23.1	1,177	33.5	30.6	23.3
	Asian/PI	65	2.6	15	1.9	7	3.8	87	2.5	4.5	18.8
	Native Am	1	0.0	1	0.0	1.5	.
	Multi Race‡	166	6.5	42	5.3	7	3.8	215	6.1	.	20.2
Risk	MSM	1,464	57.5	393	50.0	84	46.2	1,941	55.3	.	21.2
	IDU	54	2.1	24	3.1	9	4.9	87	2.5	.	30.8
	MSM/IDU	64	2.5	6	0.8	8	4.4	78	2.2	.	8.6
	Heterosexual	320	12.6	114	14.5	13	7.1	447	12.7	.	26.3
	Fem. Presumed Het.	297	11.7	103	13.1	22	12.1	422	12.0	.	25.8
	Pediatric Risk	5	0.2	1	0.1	.	.	6	0.2	.	16.7
	Unk	340	13.4	145	18.4	46	25.3	531	15.1	.	29.9

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE: Includes all 62 Counties
AIDS Cases, Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate**	Number	Percent
Total		2,093	100.0	10.5	202,341	100.0
Sex at Birth	Male	1,542	73.7	15.7	149,682	74.0
	Female	551	26.3	5.4	52,659	26.0
Age at Diagnosis	12 & under	1	0.0	0.0	2,537	1.3
	13-19	31	1.5	1.8	1,410	0.7
	20-24	178	8.5	12.4	6,059	3.0
	25-29	257	12.3	17.8	19,235	9.5
	30-39	485	23.2	18.8	77,952	38.5
	40-49	566	27.0	21.2	63,546	31.4
	50-59	392	18.7	14.2	23,573	11.7
	60+	183	8.7	4.6	7,891	3.9
	Unk	.	.	.	138	0.1
Race/Ethnicity	White Not-Hispanic	328	15.7	2.9	45,408	22.4
	Black Not-Hispanic	967	46.2	32.0	85,439	42.2
	Hispanic	642	30.7	18.2	63,647	31.5
	Asian/PI	33	1.6	1.8	1,367	0.7
	Native Am	.	.	.	79	0.0
	Multi Race†	123	5.9	.	6,358	3.1
	Unk	.	.	.	43	0.0
Risk	MSM	895	42.8	.	58,944	29.1
	IDU	157	7.5	.	71,067	35.1
	MSM/IDU	39	1.9	.	7,330	3.6
	Heterosexual	350	16.7	.	25,815	12.8
	Fem. Presumed Het.	262	12.5	.	12,412	6.1
	Blood Prod.	.	.	.	1,134	0.6
	Pediatric Risk	28	1.3	.	3,246	1.6
	Unk	362	17.3	.	22,393	11.1

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE: Includes all 62 Counties
Deaths Among HIV and AIDS Cases (January-December 2013), by Sex at Birth, Age, Race/Ethnicity and Risk

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		307	100.0	1,697	100.0	2,004	100.0
Sex at Birth	Male	229	74.6	1,153	67.9	1,382	69.0
	Female	78	25.4	544	32.1	622	31.0
Age at Death	12 & under
	13-19
	20-24	4	1.3	7	0.4	11	0.5
	25-29	11	3.6	32	1.9	43	2.1
	30-39	29	9.4	77	4.5	106	5.3
	40-49	37	12.1	349	20.6	386	19.3
	50-59	97	31.6	644	37.9	741	37.0
	60+	129	42.0	588	34.6	717	35.8
Race/Ethnicity	White Not-Hispanic	58	18.9	259	15.3	317	15.8
	Black Not-Hispanic	144	46.9	735	43.3	879	43.9
	Hispanic	85	27.7	584	34.4	669	33.4
	Asian/PI	1	0.3	8	0.5	9	0.4
	Native Am	1	0.3	.	.	1	0.0
	Multi Race	18	5.9	111	6.5	129	6.4
	Unk
Risk	MSM	68	22.1	348	20.5	416	20.8
	IDU	63	20.5	575	33.9	638	31.8
	MSM/IDU	9	2.9	80	4.7	89	4.4
	Heterosexual	48	15.6	260	15.3	308	15.4
	Fem. Presumed Het.	35	11.4	178	10.5	213	10.6
	Blood Prod.	1	0.3	10	0.6	11	0.5
	Pediatric Risk	.	.	10	0.6	10	0.5
	Unk	83	27.0	236	13.9	319	15.9

Table 3A

NEW YORK CITY

Living HIV and AIDS Cases as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		41,808	100.0	490.1	63,282	100.0	774.9	105,090	100.0	1265.0	8,405,837
Sex at Birth	Male	29,727	71.1	727.1	44,415	70.2	1160.3	74,142	70.6	1887.4	4,010,373
	Female	12,081	28.9	274.7	18,867	29.8	439.3	30,948	29.4	714.0	4,395,464
Current Age	12 & under	89	0.2	6.8	10	0.0	0.8	99	0.1	7.5	1,316,320
	13-19	517	1.2	77.5	245	0.4	36.7	762	0.7	114.2	667,278
	20-24	1,814	4.3	287.1	995	1.6	157.5	2,809	2.7	444.5	631,907
	25-29	3,426	8.2	445.7	1,720	2.7	223.8	5,146	4.9	669.5	768,622
	30-39	8,649	20.7	660.0	6,260	9.9	477.7	14,909	14.2	1137.7	1,310,415
	40-49	12,228	29.2	1082	17,276	27.3	1529.0	29,504	28.1	2611.3	1,129,858
	50-59	10,422	24.9	976.3	23,324	36.9	2185.0	33,746	32.1	3161.3	1,067,480
	60+	4,661	11.1	307.9	13,447	21.2	888.2	18,108	17.2	1196.1	1,513,957
	Unk	2	0.0	.	5	0.0	.	7	0.0	.	.
Race/Ethnicity	White Not-Hispanic	8,986	21.5	321.3	10,032	15.9	363.4	19,018	18.1	684.8	2,815,270
	Black Not-Hispanic	17,538	41.9	881.5	28,288	44.7	1438.0	45,826	43.6	2319.5	1,949,215
	Hispanic	13,231	31.6	563.4	22,556	35.6	1055.6	35,787	34.1	1619.1	2,428,759
	Asian/PI	827	2.0	61.6	810	1.3	65.6	1,637	1.6	127.3	1,185,777
	Native Am	33	0.1	124.1	38	0.1	155.1	71	0.1	279.3	26,816
	Multi Race**	872	2.1	.	1,525	2.4	.	2,397	2.3	.	.
	Unk	321	0.8	.	33	0.1	.	354	0.3	.	.
Risk	MSM	17,816	42.6	.	19,544	30.9	.	37,360	35.6	.	.
	IDU	3,102	7.4	.	12,528	19.8	.	15,630	14.9	.	.
	MSM/IDU	683	1.6	.	1,786	2.8	.	2,469	2.3	.	.
	Heterosexual	6,242	14.9	.	10,953	17.3	.	17,195	16.4	.	.
	Fem. Presumed Het.	5,921	14.2	.	6,696	10.6	.	12,617	12.0	.	.
	Blood Prod.	25	0.1	.	137	0.2	.	162	0.2	.	.
	Pediatric Risk	920	2.2	.	1,250	2.0	.	2,170	2.1	.	.
	Unk	7,099	17.0	.	10,388	16.4	.	17,487	16.6	.	.

Data as of April 2015.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY
Newly Diagnosed HIV Cases* 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		1,929	100.0	567	100.0	119	100.0	2,615	100.0	28.7	22.7
Sex at Birth	Male	1,538	79.7	438	77.2	98	82.4	2,074	79.3	46.6	22.2
	Female	391	20.3	129	22.8	21	17.6	541	20.7	11.9	24.8
Age at Diagnosis	12 & under	3	0.2	1	0.2	.	.	4	0.2	0.3	25.0
	13-19	98	5.1	8	1.4	2	1.7	108	4.1	16.2	7.5
	20-24	363	18.8	49	8.6	27	22.7	439	16.8	69.5	11.9
	25-29	406	21.0	75	13.2	15	12.6	496	19.0	64.5	15.6
	30-39	478	24.8	124	21.9	31	26.1	633	24.2	48.3	20.6
	40-49	322	16.7	164	28.9	29	24.4	515	19.7	45.6	33.7
	50-59	179	9.3	87	15.3	8	6.7	274	10.5	25.7	32.7
	60+	80	4.1	59	10.4	7	5.9	146	5.6	9.6	42.4
Race/Ethnicity	White Not-Hispanic	296	15.3	76	13.4	23	19.3	395	15.1	12.8	20.4
	Black Not-Hispanic	743	38.5	246	43.4	58	48.7	1,047	40.0	51.2	24.9
	Hispanic	717	37.2	199	35.1	30	25.2	946	36.2	35.9	21.7
	Asian/PI	58	3.0	14	2.5	3	2.5	75	2.9	5.3	19.4
	Native Am
	Multi Race‡	115	6.0	32	5.6	5	4.2	152	5.8	.	21.8
Risk	MSM	1,167	60.5	282	49.7	59	49.6	1,508	57.7	.	19.5
	IDU	26	1.3	15	2.6	4	3.4	45	1.7	.	36.6
	MSM/IDU	36	1.9	3	0.5	7	5.9	46	1.8	.	7.7
	Heterosexual	214	11.1	76	13.4	6	5.0	296	11.3	.	26.2
	Fem. Presumed Het.	227	11.8	84	14.8	15	12.6	326	12.5	.	27.0
	Pediatric Risk	3	0.2	1	0.2	.	.	4	0.2	.	25.0
	Unk	256	13.3	106	18.7	28	23.5	390	14.9	.	29.3

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 3C

NEW YORK CITY
AIDS Cases, Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate**	Number	Percent
Total		1,605	100.0	18.3	162,930	100.0
Sex at Birth	Male	1,184	73.8	27.9	119,566	73.4
	Female	421	26.2	9.5	43,364	26.6
Age at Diagnosis	12 & under	1	0.1	0.1	2,165	1.3
	13-19	25	1.6	3.7	1,100	0.7
	20-24	135	8.4	21.4	4,848	3.0
	25-29	199	12.4	25.9	15,222	9.3
	30-39	388	24.2	29.6	62,287	38.2
	40-49	427	26.6	37.8	51,244	31.5
	50-59	294	18.3	27.5	19,423	11.9
	60+	136	8.5	9.0	6,531	4.0
	Unk	.	.	.	110	0.1
Race/Ethnicity	White Not-Hispanic	179	11.2	6.4	31,722	19.5
	Black Not-Hispanic	802	50.0	39.8	71,036	43.6
	Hispanic	525	32.7	21.7	54,730	33.6
	Asian/PI	27	1.7	2.0	1,247	0.8
	Native Am	.	.	.	43	0.0
	Multi Race†	72	4.5	.	4,110	2.5
	Unk	.	.	.	42	0.0
Risk	MSM	695	43.3	.	48,103	29.5
	IDU	107	6.7	.	56,292	34.5
	MSM/IDU	18	1.1	.	5,159	3.2
	Heterosexual	245	15.3	.	20,102	12.3
	Fem. Presumed Het.	225	14.0	.	10,856	6.7
	Blood Prod.	.	.	.	728	0.4
	Pediatric Risk	19	1.2	.	2,702	1.7
	Unk	296	18.4	.	18,988	11.7

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY

Deaths Among HIV and AIDS Cases (January-December 2013), by Sex at Birth, Age, Race/Ethnicity and Risk

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		254	100.0	1,348	100.0	1,602	100.0
Sex at Birth	Male	192	75.6	912	67.7	1,104	68.9
	Female	62	24.4	436	32.3	498	31.1
Age at Death	12 & under
	13-19
	20-24	4	1.6	6	0.4	10	0.6
	25-29	9	3.5	27	2.0	36	2.2
	30-39	26	10.2	52	3.9	78	4.9
	40-49	32	12.6	276	20.5	308	19.2
	50-59	74	29.1	513	38.1	587	36.6
	60+	109	42.9	474	35.2	583	36.4
Race/Ethnicity	White Not-Hispanic	37	14.6	154	11.4	191	11.9
	Black Not-Hispanic	122	48.0	629	46.7	751	46.9
	Hispanic	79	31.1	490	36.4	569	35.5
	Asian/PI	1	0.4	8	0.6	9	0.6
	Native Am	1	0.4	.	.	1	0.1
	Multi Race	14	5.5	67	5.0	81	5.1
	Unk
Risk	MSM	55	21.7	265	19.7	320	20.0
	IDU	48	18.9	446	33.1	494	30.8
	MSM/IDU	7	2.8	53	3.9	60	3.7
	Heterosexual	35	13.8	198	14.7	233	14.5
	Fem. Presumed Het.	32	12.6	156	11.6	188	11.7
	Blood Prod.	1	0.4	9	0.7	10	0.6
	Pediatric Risk	.	.	10	0.7	10	0.6
	Unk	76	29.9	211	15.7	287	17.9

Table 4A

REST OF STATE (NEW YORK STATE Excluding NYC)
Living HIV and AIDS Cases as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		11,758	100.0	104.0	16,418	100.0	139.9	28,176	100.0	243.9	11,245,290
Sex at Birth	Male	8,150	69.3	145.4	11,765	71.7	203.5	19,915	70.7	348.9	5,525,820
	Female	3,608	30.7	63.6	4,653	28.3	79.0	8,261	29.3	142.6	5,719,470
Current Age	12 & under	38	0.3	2.2	2	0.0	0.1	40	0.1	2.3	1,704,969
	13-19	137	1.2	12.5	52	0.3	4.8	189	0.7	17.3	1,093,264
	20-24	509	4.3	62.9	230	1.4	28.4	739	2.6	91.4	808,784
	25-29	890	7.6	131.4	407	2.5	60.1	1,297	4.6	191.4	677,545
	30-39	1,938	16.5	152.6	1,449	8.8	114.1	3,387	12.0	266.7	1,269,828
	40-49	3,259	27.7	211.0	4,679	28.5	302.9	7,938	28.2	513.9	1,544,735
	50-59	3,416	29.1	200.9	6,438	39.2	378.7	9,854	35.0	579.7	1,699,928
	60+	1,567	13.3	64.1	3,161	19.3	129.2	4,728	16.8	193.3	2,446,237
	Unk	4	0.0	4	0.0	.	.
Race/Ethnicity	White Not-Hispanic	3,899	33.2	44.9	4,696	28.6	50.1	8,595	30.5	95.0	8,555,643
	Black Not-Hispanic	3,914	33.3	401.9	5,713	34.8	607.8	9,627	34.2	1009.8	1,018,972
	Hispanic	2,917	24.8	297.9	4,257	25.9	475.7	7,174	25.5	773.6	1,178,027
	Asian/PI	112	1.0	23.3	81	0.5	18.1	193	0.7	41.4	448,603
	Native Am	13	0.1	29.7	14	0.1	32.3	27	0.1	62.0	44,045
	Multi Race**	899	7.6	.	1,657	10.1	.	2,556	9.1	.	.
	Unk	4	0.0	4	0.0	.	.
Risk	MSM	4,127	35.1	.	4,759	29.0	.	8,886	31.5	.	.
	IDU	1,834	15.6	.	4,114	25.1	.	5,948	21.1	.	.
	MSM/IDU	379	3.2	.	908	5.5	.	1,287	4.6	.	.
	Heterosexual	2,445	20.8	.	3,493	21.3	.	5,938	21.1	.	.
	Fem. Presumed Het.	1,091	9.3	.	963	5.9	.	2,054	7.3	.	.
	Blood Prod.	19	0.2	.	81	0.5	.	100	0.4	.	.
	Pediatric Risk	230	2.0	.	278	1.7	.	508	1.8	.	.
	Unk	1,633	13.9	.	1,822	11.1	.	3,455	12.3	.	.

Data as of April 2015.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

REST OF STATE (NEW YORK STATE Excluding NYC)
Newly Diagnosed HIV Cases* 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		615	100.0	219	100.0	63	100.0	897	100.0	8.2	26.3
Sex at Birth	Male	469	76.3	177	80.8	50	79.4	696	77.6	12.7	27.4
	Female	146	23.7	42	19.2	13	20.6	201	22.4	3.6	22.3
Age at Diagnosis	12 & under	2	0.3	2	0.2	0.1	.
	13-19	32	5.2	1	0.5	.	.	33	3.7	3.0	3.0
	20-24	112	18.2	16	7.3	6	9.5	134	14.9	16.6	12.5
	25-29	122	19.8	27	12.3	4	6.3	153	17.1	22.6	18.1
	30-39	126	20.5	49	22.4	14	22.2	189	21.1	14.9	28.0
	40-49	105	17.1	63	28.8	21	33.3	189	21.1	12.2	37.5
	50-59	87	14.1	40	18.3	12	19.0	139	15.5	8.2	31.5
	60+	29	4.7	23	10.5	6	9.5	58	6.5	2.4	44.2
Race/Ethnicity	White Not-Hispanic	191	31.1	78	35.6	30	47.6	299	33.3	3.6	29.0
	Black Not-Hispanic	211	34.3	65	29.7	15	23.8	291	32.4	28.0	23.6
	Hispanic	154	25.0	65	29.7	12	19.0	231	25.8	19.5	29.7
	Asian/PI	7	1.1	1	0.5	4	6.3	12	1.3	2.4	12.5
	Native Am	1	0.2	1	0.1	2.5	.
	Multi Race‡	51	8.3	10	4.6	2	3.2	63	7.0	.	16.4
Risk	MSM	297	48.3	111	50.7	25	39.7	433	48.3	.	27.2
	IDU	28	4.6	9	4.1	5	7.9	42	4.7	.	24.3
	MSM/IDU	28	4.6	3	1.4	1	1.6	32	3.6	.	9.7
	Heterosexual	106	17.2	38	17.4	7	11.1	151	16.8	.	26.4
	Fem. Presumed Het.	70	11.4	19	8.7	7	11.1	96	10.7	.	21.3
	Pediatric Risk	2	0.3	2	0.2	.	.
	Unk	84	13.7	39	17.8	18	28.6	141	15.7	.	31.7

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 4C

***REST OF STATE (NEW YORK STATE Excluding NYC)
AIDS Cases, Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk***

		AIDS Diagnoses*			Cumulative AIDS Diagnoses	
		Number	Percent	Case Rate**	Number	Percent
Total		488	100.0	4.4	39,411	100.0
Sex at Birth	Male	358	73.4	6.5	30,116	76.4
	Female	130	26.6	2.3	9,295	23.6
Age at Diagnosis	12 & under	.	.	.	372	0.9
	13-19	6	1.2	0.5	310	0.8
	20-24	43	8.8	5.3	1,211	3.1
	25-29	58	11.9	8.6	4,013	10.2
	30-39	97	19.9	7.6	15,665	39.7
	40-49	139	28.5	9.0	12,302	31.2
	50-59	98	20.1	5.8	4,150	10.5
	60+	47	9.6	1.9	1,360	3.5
	Unk	.	.	.	28	0.1
Race/Ethnicity	White Not-Hispanic	149	30.5	1.7	13,686	34.7
	Black Not-Hispanic	165	33.8	16.5	14,403	36.5
	Hispanic	117	24.0	10.3	8,917	22.6
	Asian/PI	6	1.2	1.2	120	0.3
	Native Am	.	.	.	36	0.1
	Multi Race†	51	10.5	.	2,248	5.7
	Unk	.	.	.	1	0.0
Risk	MSM	200	41.0	.	10,841	27.5
	IDU	50	10.2	.	14,775	37.5
	MSM/IDU	21	4.3	.	2,171	5.5
	Heterosexual	105	21.5	.	5,713	14.5
	Fem. Presumed Het.	37	7.6	.	1,556	3.9
	Blood Prod.	.	.	.	406	1.0
	Pediatric Risk	9	1.8	.	544	1.4
	Unk	66	13.5	.	3,405	8.6

Data as of April 2015.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

***per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.*

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

REST OF STATE (NEW YORK STATE Excluding NYC)**Deaths Among HIV and AIDS Cases (January-December 2013), by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		53	100.0	349	100.0	402	100.0
Sex at Birth	Male	37	69.8	241	69.1	278	69.2
	Female	16	30.2	108	30.9	124	30.8
Age at Death	12 & under
	13-19
	20-24	.	.	1	0.3	1	0.2
	25-29	2	3.8	5	1.4	7	1.7
	30-39	3	5.7	25	7.2	28	7.0
	40-49	5	9.4	73	20.9	78	19.4
	50-59	23	43.4	131	37.5	154	38.3
	60+	20	37.7	114	32.7	134	33.3
Race/Ethnicity	White Not-Hispanic	21	39.6	105	30.1	126	31.3
	Black Not-Hispanic	22	41.5	106	30.4	128	31.8
	Hispanic	6	11.3	94	26.9	100	24.9
	Asian/PI
	Native Am
	Multi Race	4	7.5	44	12.6	48	11.9
	Unk
Risk	MSM	13	24.5	83	23.8	96	23.9
	IDU	15	28.3	129	37.0	144	35.8
	MSM/IDU	2	3.8	27	7.7	29	7.2
	Heterosexual	13	24.5	62	17.8	75	18.7
	Fem. Presumed Het.	3	5.7	22	6.3	25	6.2
	Blood Prod.	.	.	1	0.3	1	0.2
	Pediatric Risk
	Unk	7	13.2	25	7.2	32	8.0

Table 5A

***NEW YORK STATE: (Excluding NYC) by County
Living HIV and AIDS Cases as of December 2013***

	Including Prisoners*			Excluding Prisoners*		
County	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Albany	527	651	1,178	475	558	1,033
Allegany	11	18	29	11	17	28
Broome	152	233	385	144	215	359
Cattaraugus	41	62	103	24	32	56
Cayuga	95	140	235	40	53	93
Chautauqua	135	115	250	95	83	178
Chemung	121	127	248	69	48	117
Chenango	22	36	58	20	28	48
Clinton	94	174	268	34	33	67
Columbia	81	79	160	63	59	122
Cortland	21	15	36	21	15	36
Delaware	17	40	57	15	36	51
Dutchess	472	677	1,149	260	369	629
Erie	1,041	1,185	2,226	954	1,052	2,006
Essex	49	63	112	14	16	30
Franklin	147	185	332	19	23	42
Fulton	41	40	81	37	36	73
Genesee	35	42	77	23	30	53
Greene	65	107	172	34	41	75
Hamilton	2	3	5	2	3	5
Herkimer	22	31	53	22	28	50
Jefferson	153	141	294	33	54	87
Lewis	5	2	7	5	1	6
Livingston	81	97	178	19	33	52
Madison	26	26	52	23	18	41
Monroe	1,040	1,322	2,362	991	1,212	2,203
Montgomery	33	37	70	31	33	64
Nassau	1,239	1,864	3,103	1,204	1,783	2,987
Niagara	102	109	211	98	101	199
Oneida	287	414	701	113	171	284
Onondaga	445	615	1,060	412	566	978
Ontario	50	46	96	46	42	88
Orange	392	616	1,008	318	486	804
Orleans	127	199	326	18	28	46
Oswego	40	58	98	39	57	96

Data as of April 2015.

* "Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis.

**NEW YORK STATE: (Excluding NYC) by County
Living HIV and AIDS Cases as of December 2013**

	Including Prisoners*			Excluding Prisoners*		
County	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Otsego	29	32	61	28	29	57
Putnam	50	91	141	50	89	139
Rensselaer	109	155	264	101	142	243
Rockland	286	515	801	269	443	712
St Lawrence	135	166	301	40	48	88
Saratoga	99	138	237	75	98	173
Schenectady	195	246	441	183	216	399
Schoharie	18	21	39	11	16	27
Schuyler	15	8	23	11	6	17
Seneca	51	63	114	15	8	23
Steuben	33	41	74	33	37	70
Suffolk	1,265	1,848	3,113	1,216	1,739	2,955
Sullivan	155	254	409	104	164	268
Tioga	18	19	37	18	19	37
Tompkins	63	88	151	63	81	144
Ulster	280	441	721	158	240	398
Warren	36	39	75	33	36	69
Washington	81	89	170	22	20	42
Wayne	67	64	131	59	57	116
Westchester	1,482	2,392	3,874	1,246	2,085	3,331
Wyoming	74	133	207	5	5	10
Yates	6	6	12	5	6	11
Total	11,758	16,418	28,176	9,471	12,944	22,415

Data as of April 2015.

* "Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis.

Table 5B

NEW YORK STATE: (Excluding NYC) by County
Newly Diagnosed HIV* and AIDS Cases, 2013
and Cumulative AIDS Diagnosed through December 2013

	Including Prisoners**			Excluding Prisoners**		
County	HIV Diagnoses†	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses†	AIDS Diagnoses	Cumulative AIDS Diagnoses
Albany	33	20	1,379	29	19	1,237
Allegany	2	1	31	2	1	30
Broome	11	12	438	11	12	412
Cattaraugus	4	2	102	4	1	62
Cayuga	1	5	344	1	3	100
Chautauqua	5	1	200	5	1	159
Chemung	7	5	322	6	4	151
Chenango	2	0	68	2	0	48
Clinton	1	1	485	1	0	71
Columbia	8	2	162	8	2	110
Cortland	2	0	31	2	0	30
Delaware	2	0	66	2	0	61
Dutchess	28	15	1,849	26	12	1,014
Erie	105	51	2,719	105	48	2,423
Essex	1	0	185	1	0	39
Franklin	10	1	412	7	0	42
Fulton	2	1	67	2	1	60
Genesee	6	3	74	4	2	59
Greene	1	2	253	1	2	92
Hamilton	0	0	5	0	0	5
Herkimer	1	1	54	1	0	51
Jefferson	9	2	315	8	2	95
Lewis	0	0	4	0	0	2
Livingston	2	3	240	1	3	71
Madison	3	1	61	3	0	45
Monroe	80	43	2,878	77	42	2,676
Montgomery	4	0	90	4	0	84
Nassau	117	60	4,749	115	56	4,573
Niagara	14	9	295	14	9	279
Oneida	7	6	1,037	5	4	406
Onondaga	51	18	1,401	48	17	1,323

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

** "Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis.

†Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

NEW YORK STATE: (Excluding NYC) by County
Newly Diagnosed HIV* and AIDS Cases, 2013
and Cumulative AIDS Diagnosed through December 2013

	Including Prisoners**			Excluding Prisoners**		
County	HIV Diagnoses†	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses†	AIDS Diagnoses	Cumulative AIDS Diagnoses
Ontario	2	0	78	1	0	74
Orange	23	15	1,616	22	12	1,313
Orleans	1	4	392	1	1	52
Oswego	5	5	114	5	5	112
Otsego	5	1	83	5	1	79
Putnam	4	2	202	4	2	200
Rensselaer	11	7	342	11	7	319
Rockland	26	11	1,129	25	10	1,029
St Lawrence	6	2	351	6	2	87
Saratoga	5	4	347	5	4	218
Schenectady	15	8	539	14	8	495
Schoharie	1	0	49	1	0	41
Schuyler	3	0	17	3	0	15
Seneca	4	1	98	2	1	21
Steuben	3	1	98	3	1	93
Suffolk	120	76	4,719	119	73	4,510
Sullivan	7	7	727	7	7	510
Tioga	2	0	38	2	0	38
Tompkins	5	2	161	5	2	152
Ulster	15	7	1,058	12	5	649
Warren	3	2	81	1	1	77
Washington	2	1	302	2	1	47
Wayne	1	2	133	1	2	114
Westchester	109	63	6,052	108	62	5,344
Wyoming	0	1	355	0	0	15
Yates	0	1	14	0	1	14
Total	897	488	39,411	860	449	31,428

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

** "Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis.

†Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

Table 5C

NEW YORK STATE: (Excluding NYC) by County
Deaths Among HIV and AIDS Cases, 2013

	Including Prisoners*			Excluding Prisoners*		
County	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Albany	1	16	17	0	14	14
Allegany	0	0	0	0	0	0
Broome	1	4	5	0	3	3
Cattaraugus	0	1	1	0	1	1
Cayuga	1	5	6	0	5	5
Chautauqua	1	2	3	0	1	1
Chemung	0	3	3	0	2	2
Chenango	1	1	2	0	1	1
Clinton	1	3	4	1	2	3
Columbia	1	1	2	1	0	1
Cortland	0	0	0	0	0	0
Delaware	0	0	0	0	0	0
Dutchess	1	23	24	0	13	13
Erie	10	45	55	8	39	47
Essex	0	0	0	0	0	0
Franklin	0	1	1	0	0	0
Fulton	2	0	2	2	0	2
Genesee	0	0	0	0	0	0
Greene	0	2	2	0	2	2
Hamilton	0	0	0	0	0	0
Herkimer	1	1	2	1	1	2
Jefferson	0	5	5	0	1	1
Lewis	0	0	0	0	0	0
Livingston	0	3	3	0	2	2
Madison	0	0	0	0	0	0
Monroe	6	32	38	6	26	32
Montgomery	1	2	3	1	2	3
Nassau	3	30	33	3	26	29
Niagara	0	3	3	0	3	3
Oneida	1	10	11	1	3	4
Onondaga	1	15	16	0	14	14
Ontario	0	1	1	0	1	1
Orange	1	14	15	1	11	12
Orleans	1	2	3	1	1	2

Data as of April 2015.

* "Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis.

NEW YORK STATE: (Excluding NYC) by County
Deaths Among HIV and AIDS Cases, 2013

	Including Prisoners*			Excluding Prisoners*		
County	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Oswego	0	1	1	0	1	1
Otsego	0	2	2	0	2	2
Putnam	0	1	1	0	1	1
Rensselaer	0	3	3	0	3	3
Rockland	1	8	9	1	6	7
St Lawrence	1	4	5	1	1	2
Saratoga	0	1	1	0	1	1
Schenectady	2	2	4	2	2	4
Schoharie	0	0	0	0	0	0
Schuyler	0	0	0	0	0	0
Seneca	0	1	1	0	1	1
Steuben	0	3	3	0	3	3
Suffolk	7	34	41	7	32	39
Sullivan	2	7	9	2	6	8
Tioga	0	1	1	0	1	1
Tompkins	0	2	2	0	1	1
Ulster	1	8	9	0	4	4
Warren	0	2	2	0	2	2
Washington	0	2	2	0	0	0
Wayne	0	1	1	0	1	1
Westchester	3	39	42	3	33	36
Wyoming	1	1	2	0	0	0
Yates	0	1	1	0	1	1
Total	53	349	402	42	276	318

Data as of April 2015.

* "Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis.

Table 6A

NEW YORK CITY - Males
Living HIV and AIDS Cases as of December 2013, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		29,727	100.0	727.1	44,415	100.0	1160.3	74,142	100.0	1887.4	4,010,373
Current Age	12 & under	39	0.1	5.8	5	0.0	0.7	44	0.1	6.5	672,969
	13-19	271	0.9	80.2	113	0.3	33.5	384	0.5	113.7	337,790
	20-24	1,365	4.6	441.5	623	1.4	201.5	1,988	2.7	643.0	309,172
	25-29	2,745	9.2	739.8	1,285	2.9	346.3	4,030	5.4	1086.2	371,029
	30-39	6,379	21.5	999.6	4,343	9.8	680.6	10,722	14.5	1680.2	638,140
	40-49	8,699	29.3	1589.4	11,699	26.3	2137.5	20,398	27.5	3726.8	547,328
	50-59	7,094	23.9	1415.4	16,301	36.7	3252.4	23,395	31.6	4667.8	501,204
	60+	3,135	10.5	495.5	10,044	22.6	1587.4	13,179	17.8	2082.8	632,741
	Unk	.	.	.	2	0.0	.	2	0.0	.	.
Race/Ethnicity	White Not-Hispanic	8,175	27.5	578.4	8,897	20.0	646.8	17,072	23.0	1225.1	1,368,346
	Black Not-Hispanic	10,429	35.1	1182.3	17,696	39.8	2089.1	28,125	37.9	3271.4	879,999
	Hispanic	9,486	31.9	836.0	15,994	36.0	1631.1	25,480	34.4	2467.1	1,180,660
	Asian/PI	690	2.3	108.6	697	1.6	118.3	1,387	1.9	226.9	568,674
	Native Am	28	0.1	229.1	32	0.1	295.5	60	0.1	524.7	12,694
	Multi Race**	674	2.3	.	1,071	2.4	.	1,745	2.4	.	.
	Unk	245	0.8	.	28	0.1	.	273	0.4	.	.
Risk	MSM	17,816	59.9	.	19,544	44.0	.	37,360	50.4	.	.
	IDU	1,916	6.4	.	8,295	18.7	.	10,211	13.8	.	.
	MSM/IDU	683	2.3	.	1,786	4.0	.	2,469	3.3	.	.
	Heterosexual	1,768	5.9	.	3,757	8.5	.	5,525	7.5	.	.
	Blood Prod.	10	0.0	.	61	0.1	.	71	0.1	.	.
	Pediatric Risk	452	1.5	.	616	1.4	.	1,068	1.4	.	.
	Unk	7,082	23.8	.	10,356	23.3	.	17,438	23.5	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY - Males
Newly Diagnosed HIV Cases* 2013 by Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		1,538	100.0	438	100.0	98	100.0	2,074	100.0	46.6	22.2
Age at Diagnosis	12 & under	2	0.1	1	0.2	.	.	3	0.1	0.4	33.3
	13-19	73	4.7	7	1.6	2	2.0	82	4.0	24.3	8.8
	20-24	324	21.1	47	10.7	22	22.4	393	18.9	127.1	12.7
	25-29	357	23.2	64	14.6	15	15.3	436	21.0	117.5	15.2
	30-39	383	24.9	97	22.1	27	27.6	507	24.4	79.4	20.2
	40-49	231	15.0	127	29.0	21	21.4	379	18.3	69.2	35.5
	50-59	122	7.9	58	13.2	6	6.1	186	9.0	37.1	32.2
	60+	46	3.0	37	8.4	5	5.1	88	4.2	13.9	44.6
	Unk
Race/Ethnicity	White Not-Hispanic	275	17.9	69	15.8	22	22.4	366	17.6	23.6	20.1
	Black Not-Hispanic	518	33.7	174	39.7	45	45.9	737	35.5	78.5	25.1
	Hispanic	593	38.6	155	35.4	25	25.5	773	37.3	58.3	20.7
	Asian/PI	54	3.5	13	3.0	2	2.0	69	3.3	10.2	19.4
	Native Am
	Multi Race‡	98	6.4	27	6.2	4	4.1	129	6.2	.	21.6
	Unk
Risk	MSM	1,167	75.9	282	64.4	59	60.2	1,508	72.7	.	19.5
	IDU	12	0.8	7	1.6	3	3.1	22	1.1	.	36.8
	MSM/IDU	36	2.3	3	0.7	7	7.1	46	2.2	.	7.7
	Heterosexual	65	4.2	39	8.9	1	1.0	105	5.1	.	37.5
	Blood Prod.
	Pediatric Risk	2	0.1	1	0.2	.	.	3	0.1	.	33.3
	Unk	256	16.6	106	24.2	28	28.6	390	18.8	.	29.3

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 6C

NEW YORK CITY - Males
AIDS Cases, Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		1,184	100.0	27.9	119,566	100.0
Age at Diagnosis	12 & under	1	0.1	0.1	1,063	0.9
	13-19	17	1.4	5.0	631	0.5
	20-24	115	9.7	37.2	3,234	2.7
	25-29	167	14.1	45.0	10,688	8.9
	30-39	288	24.3	45.1	45,303	37.9
	40-49	308	26.0	56.3	38,638	32.3
	50-59	195	16.5	38.9	14,971	12.5
	60+	93	7.9	14.7	4,975	4.2
	Unk	.	.	.	63	0.1
Race/Ethnicity	White Not-Hispanic	163	13.8	11.4	28,360	23.7
	Black Not-Hispanic	553	46.7	60.8	47,152	39.4
	Hispanic	388	32.8	33.0	39,866	33.3
	Asian/PI	25	2.1	3.8	1,076	0.9
	Native Am	.	.	.	36	0.0
	Multi Race†	55	4.6	.	3,040	2.5
	Unk	.	.	.	36	0.0
Risk	MSM	695	58.7	.	48,103	40.2
	IDU	69	5.8	.	39,534	33.1
	MSM/IDU	18	1.5	.	5,159	4.3
	Heterosexual	100	8.4	.	6,101	5.1
	Blood Prod.	.	.	.	398	0.3
	Pediatric Risk	7	0.6	.	1,337	1.1
	Unk	295	24.9	.	18,934	15.8

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY - Males
Deaths Among HIV and AIDS Cases (January-December 2013)
by Age, Race/Ethnicity and Risk

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Deaths Among HIV & AIDS Cases	
		Number	Percent	Number	Percent	Number	Percent
Total		192	100.0	912	100.0	1,104	100.0
Age at Death	12 & under
	13-19
	20-24	4	2.1	6	0.7	10	0.9
	25-29	7	3.6	19	2.1	26	2.4
	30-39	18	9.4	40	4.4	58	5.3
	40-49	21	10.9	169	18.5	190	17.2
	50-59	60	31.3	331	36.3	391	35.4
	60+	82	42.7	347	38.0	429	38.9
Race/Ethnicity	White Not-Hispanic	34	17.7	130	14.3	164	14.9
	Black Not-Hispanic	83	43.2	393	43.1	476	43.1
	Hispanic	62	32.3	342	37.5	404	36.6
	Asian/PI	1	0.5	6	0.7	7	0.6
	Native Am
	Multi Race	12	6.3	41	4.5	53	4.8
	Unk
Risk	MSM	55	28.6	265	29.1	320	29.0
	IDU	36	18.8	296	32.5	332	30.1
	MSM/IDU	7	3.6	53	5.8	60	5.4
	Heterosexual	18	9.4	80	8.8	98	8.9
	Blood Prod.	.	.	3	0.3	3	0.3
	Pediatric Risk	.	.	5	0.5	5	0.5
	Unk	76	39.6	210	23.0	286	25.9

Table 6E

NEW YORK CITY - Females
Living HIV and AIDS Cases as of December 2013, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		12,081	100.0	274.7	18,867	100.0	439.3	30,948	100.0	714.0	4,395,464
Current Age	12 & under	50	0.4	7.8	5	0.0	0.8	55	0.2	8.5	643,351
	13-19	246	2.0	74.7	132	0.7	40.1	378	1.2	114.7	329,488
	20-24	449	3.7	139.1	372	2.0	115.3	821	2.7	254.4	322,735
	25-29	681	5.6	171.3	435	2.3	109.4	1,116	3.6	280.7	397,593
	30-39	2,270	18.8	337.7	1,917	10.2	285.2	4,187	13.5	622.8	672,275
	40-49	3,529	29.2	605.8	5,577	29.6	957.4	9,106	29.4	1563.2	582,530
	50-59	3,328	27.5	587.7	7,023	37.2	1240.2	10,351	33.4	1827.9	566,276
	60+	1,526	12.6	173.2	3,403	18.0	386.2	4,929	15.9	559.3	881,216
	Unk	2	0.0	.	3	0.0	.	5	0.0	.	.
Race/Ethnicity	White Not-Hispanic	811	6.7	58.2	1,135	6.0	83.7	1,946	6.3	142.0	1,446,924
	Black Not-Hispanic	7,109	58.8	643.5	10,592	56.1	954.6	17,701	57.2	1598.2	1,069,216
	Hispanic	3,745	31.0	313.6	6,562	34.8	573.3	10,307	33.3	886.9	1,248,099
	Asian/PI	137	1.1	19.6	113	0.6	17.8	250	0.8	37.3	617,103
	Native Am	5	0.0	35.7	6	0.0	42.9	11	0.0	78.6	14,122
	Multi Race**	198	1.6	.	454	2.4	.	652	2.1	.	.
	Unk	76	0.6	.	5	0.0	.	81	0.3	.	.
Risk	IDU	1,186	9.8	.	4,233	22.4	.	5,419	17.5	.	.
	Heterosexual	4,474	37.0	.	7,196	38.1	.	11,670	37.7	.	.
	Fem. Presumed Het.	5,921	49.0	.	6,696	35.5	.	12,617	40.8	.	.
	Blood Prod.	15	0.1	.	76	0.4	.	91	0.3	.	.
	Pediatric Risk	468	3.9	.	634	3.4	.	1,102	3.6	.	.
	Unk	17	0.1	.	32	0.2	.	49	0.2	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY - Females
Newly Diagnosed HIV Cases* 2013 by Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		391	100.0	129	100.0	21	100.0	541	100.0	11.9	24.8
Age at Diagnosis	12 & under	1	0.3	1	0.2	0.2	.
	13-19	25	6.4	1	0.8	.	.	26	4.8	7.9	3.8
	20-24	39	10.0	2	1.6	5	23.8	46	8.5	14.3	4.9
	25-29	49	12.5	11	8.5	.	.	60	11.1	15.1	18.3
	30-39	95	24.3	27	20.9	4	19.0	126	23.3	18.7	22.1
	40-49	91	23.3	37	28.7	8	38.1	136	25.1	23.3	28.9
	50-59	57	14.6	29	22.5	2	9.5	88	16.3	15.5	33.7
	60+	34	8.7	22	17.1	2	9.5	58	10.7	6.6	39.3
	Unk
Race/Ethnicity	White Not-Hispanic	21	5.4	7	5.4	1	4.8	29	5.4	2.1	25.0
	Black Not-Hispanic	225	57.5	72	55.8	13	61.9	310	57.3	28.0	24.2
	Hispanic	124	31.7	44	34.1	5	23.8	173	32.0	13.8	26.2
	Asian/PI	4	1.0	1	0.8	1	4.8	6	1.1	0.9	20.0
	Native Am
	Multi Race‡	17	4.3	5	3.9	1	4.8	23	4.3	.	22.7
	Unk
Risk	IDU	14	3.6	8	6.2	1	4.8	23	4.3	.	36.4
	Heterosexual	149	38.1	37	28.7	5	23.8	191	35.3	.	19.9
	Fem. Presumed Het.	227	58.1	84	65.1	15	71.4	326	60.3	.	27.0
	Blood Prod.
	Pediatric Risk	1	0.3	1	0.2	.	.
	Unk

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 6G

NEW YORK CITY - Females
AIDS Cases, Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		421	100.0	9.5	43,364	100.0
Age at Diagnosis	12 & under	.	.	.	1,102	2.5
	13-19	8	1.9	2.4	469	1.1
	20-24	20	4.8	6.2	1,614	3.7
	25-29	32	7.6	8.0	4,534	10.5
	30-39	100	23.8	14.9	16,984	39.2
	40-49	119	28.3	20.4	12,606	29.1
	50-59	99	23.5	17.5	4,452	10.3
	60+	43	10.2	4.9	1,556	3.6
	Unk	.	.	.	47	0.1
Race/Ethnicity	White Not-Hispanic	16	3.8	1.2	3,362	7.8
	Black Not-Hispanic	249	59.1	22.6	23,884	55.1
	Hispanic	137	32.5	11.3	14,864	34.3
	Asian/PI	2	0.5	0.3	171	0.4
	Native Am	.	.	.	7	0.0
	Multi Race†	17	4.0	.	1,070	2.5
	Unk	.	.	.	6	0.0
Risk	IDU	38	9.0	.	16,758	38.6
	Heterosexual	145	34.4	.	14,001	32.3
	Fem. Presumed Het.	225	53.4	.	10,856	25.0
	Blood Prod.	.	.	.	330	0.8
	Pediatric Risk	12	2.9	.	1,365	3.1
	Unk	1	0.2	.	54	0.1

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY - Females
Deaths Among HIV and AIDS Cases (January-December 2013)
by Age, Race/Ethnicity and Risk

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Deaths Among HIV & AIDS Cases	
		Number	Percent	Number	Percent	Number	Percent
Total		62	100.0	436	100.0	498	100.0
Age at Death	12 & under
	13-19
	20-24
	25-29	2	3.2	8	1.8	10	2.0
	30-39	8	12.9	12	2.8	20	4.0
	40-49	11	17.7	107	24.5	118	23.7
	50-59	14	22.6	182	41.7	196	39.4
	60+	27	43.5	127	29.1	154	30.9
Race/Ethnicity	White Not-Hispanic	3	4.8	24	5.5	27	5.4
	Black Not-Hispanic	39	62.9	236	54.1	275	55.2
	Hispanic	17	27.4	148	33.9	165	33.1
	Asian/PI	.	.	2	0.5	2	0.4
	Native Am	1	1.6	.	.	1	0.2
	Multi Race	2	3.2	26	6.0	28	5.6
	Unk
Risk	IDU	12	19.4	150	34.4	162	32.5
	Heterosexual	17	27.4	118	27.1	135	27.1
	Fem. Presumed Het.	32	51.6	156	35.8	188	37.8
	Blood Prod.	1	1.6	6	1.4	7	1.4
	Pediatric Risk	.	.	5	1.1	5	1.0
	Unk	.	.	1	0.2	1	0.2

Table 7A

NEW YORK STATE (Excluding NYC) - Males
Living HIV and AIDS Cases (excluding prisoners) as of December 2013, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		6,296	100.0	113.2	8,793	100.0	152.5	15,089	100.0	265.6	5,525,820
Current Age	12 & under	16	0.3	1.8	2	0.0	0.2	18	0.1	2.1	871,758
	13-19	72	1.1	12.9	28	0.3	5.0	100	0.7	17.8	560,226
	20-24	348	5.5	83.2	129	1.5	30.9	477	3.2	114.1	418,101
	25-29	630	10.0	179.7	256	2.9	73.0	886	5.9	252.7	350,562
	30-39	1,108	17.6	174.2	785	8.9	123.4	1,893	12.5	297.7	635,908
	40-49	1,644	26.1	216.2	2,355	26.8	309.7	3,999	26.5	525.9	760,431
	50-59	1,681	26.7	201.5	3,367	38.3	403.6	5,048	33.5	605.1	834,258
	60+	794	12.6	72.5	1,871	21.3	170.9	2,665	17.7	243.5	1,094,576
	Unk	3	0.0	3	0.0	.	.
Race/Ethnicity	White Not-Hispanic	2,821	44.8	65.2	3,472	39.5	74.8	6,293	41.7	140.0	4,184,899
	Black Not-Hispanic	1,662	26.4	346.1	2,529	28.8	575.2	4,191	27.8	921.3	499,779
	Hispanic	1,242	19.7	226.8	1,885	21.4	416.6	3,127	20.7	643.4	603,255
	Asian/PI	69	1.1	30.7	59	0.7	28.8	128	0.8	59.6	216,406
	Native Am	6	0.1	28.5	6	0.1	28.8	12	0.1	57.3	21,481
	Multi Race**	494	7.8	.	842	9.6	.	1,336	8.9	.	.
	Unk	2	0.0	2	0.0	.	.
Risk	MSM	3,934	62.5	.	4,446	50.6	.	8,380	55.5	.	.
	IDU	508	8.1	.	1,500	17.1	.	2,008	13.3	.	.
	MSM/IDU	280	4.4	.	621	7.1	.	901	6.0	.	.
	Heterosexual	515	8.2	.	893	10.2	.	1,408	9.3	.	.
	Blood Prod.	12	0.2	.	52	0.6	.	64	0.4	.	.
	Pediatric Risk	114	1.8	.	131	1.5	.	245	1.6	.	.
	Unk	933	14.8	.	1,150	13.1	.	2,083	13.8	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE (Excluding NYC) -Males
Newly Diagnosed HIV Cases* (excluding prisoners) 2013 by Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		442	100.0	171	100.0	48	100.0	661	100.0	12.1	27.9
Age at Diagnosis	12 & under
	13-19	21	4.8	1	0.6	.	.	22	3.3	3.9	4.5
	20-24	88	19.9	13	7.6	3	6.3	104	15.7	24.9	12.9
	25-29	102	23.1	26	15.2	4	8.3	132	20.0	37.7	20.3
	30-39	78	17.6	35	20.5	12	25.0	125	18.9	19.7	31.0
	40-49	74	16.7	49	28.7	17	35.4	140	21.2	18.4	39.8
	50-59	58	13.1	29	17.0	8	16.7	95	14.4	11.4	33.3
	60+	21	4.8	18	10.5	4	8.3	43	6.5	3.9	46.2
	Unk
Race/Ethnicity	White Not-Hispanic	151	34.2	64	37.4	26	54.2	241	36.5	5.9	29.8
	Black Not-Hispanic	132	29.9	48	28.1	10	20.8	190	28.7	36.7	26.7
	Hispanic	111	25.1	53	31.0	9	18.8	173	26.2	27.6	32.3
	Asian/PI	6	1.4	.	.	3	6.3	9	1.4	3.8	.
	Native Am
	Multi Race‡	42	9.5	6	3.5	.	.	48	7.3	.	12.5
	Unk
Risk	MSM	289	65.4	109	63.7	23	47.9	421	63.7	.	27.4
	IDU	13	2.9	6	3.5	4	8.3	23	3.5	.	31.6
	MSM/IDU	24	5.4	3	1.8	1	2.1	28	4.2	.	11.1
	Heterosexual	43	9.7	18	10.5	2	4.2	63	9.5	.	29.5
	Blood Prod.
	Pediatric Risk
	Unk	73	16.5	35	20.5	18	37.5	126	19.1	.	32.4

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 7C

NEW YORK STATE (Excluding NYC) -Males
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		327	100.0	6.0	23,015	100.0
Age at Diagnosis	12 & under	.	.	.	199	0.9
	13-19	4	1.2	0.7	155	0.7
	20-24	31	9.5	7.4	648	2.8
	25-29	47	14.4	13.4	2,053	8.9
	30-39	63	19.3	9.9	8,684	37.7
	40-49	93	28.4	12.2	7,501	32.6
	50-59	58	17.7	7.0	2,814	12.2
	60+	31	9.5	2.8	948	4.1
	Unk	.	.	.	13	0.1
Race/Ethnicity	White Not-Hispanic	115	35.2	2.7	10,639	46.2
	Black Not-Hispanic	95	29.1	19.4	7,293	31.7
	Hispanic	82	25.1	13.7	3,813	16.6
	Asian/PI	5	1.5	2.0	92	0.4
	Native Am	.	.	.	21	0.1
	Multi Race†	30	9.2	.	1,156	5.0
	Unk	.	.	.	1	0.0
Risk	MSM	195	59.6	.	10,341	44.9
	IDU	21	6.4	.	6,748	29.3
	MSM/IDU	18	5.5	.	1,564	6.8
	Heterosexual	33	10.1	.	1,457	6.3
	Blood Prod.	.	.	.	300	1.3
	Pediatric Risk	3	0.9	.	274	1.2
	Unk	57	17.4	.	2,331	10.1

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE (Excluding NYC) - Males
Deaths Among HIV and AIDS Cases (January-December 2013)
by Age, Race/Ethnicity and Risk

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Deaths Among HIV & AIDS Cases	
		Number	Percent	Number	Percent	Number	Percent
		37	100.0	241	100.0	278	100.0
Age at Death	12 & under
	13-19
	20-24	.	.	1	0.4	1	0.4
	25-29	1	2.7	4	1.7	5	1.8
	30-39	1	2.7	13	5.4	14	5.0
	40-49	5	13.5	49	20.3	54	19.4
	50-59	17	45.9	92	38.2	109	39.2
	60+	13	35.1	82	34.0	95	34.2
Race/Ethnicity	White Not-Hispanic	18	48.6	82	34.0	100	36.0
	Black Not-Hispanic	13	35.1	63	26.1	76	27.3
	Hispanic	4	10.8	67	27.8	71	25.5
	Asian/PI
	Native Am
	Multi Race	2	5.4	29	12.0	31	11.2
	Unk
Risk	MSM	13	35.1	83	34.4	96	34.5
	IDU	9	24.3	93	38.6	102	36.7
	MSM/IDU	2	5.4	27	11.2	29	10.4
	Heterosexual	6	16.2	13	5.4	19	6.8
	Blood Prod.	.	.	1	0.4	1	0.4
	Pediatric Risk
	Unk	7	18.9	24	10.0	31	11.2

Table 7E

NEW YORK STATE (Excluding NYC) - Females
Living HIV and AIDS Cases (excluding prisoners) as of December 2013, by Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		3,175	100.0	56.3	4,151	100.0	70.6	7,326	100.0	126.9	5,719,470
Current Age	12 & under	21	0.7	2.5	.	.	.	21	0.3	2.5	833,211
	13-19	61	1.9	11.4	24	0.6	4.5	85	1.2	15.9	533,038
	20-24	134	4.2	34.3	83	2.0	21.2	217	3.0	55.5	390,683
	25-29	197	6.2	60.2	118	2.8	36.1	315	4.3	96.3	326,983
	30-39	644	20.3	101.6	466	11.2	73.5	1,110	15.2	175.1	633,920
	40-49	931	29.3	118.7	1,275	30.7	162.6	2,206	30.1	281.3	784,304
	50-59	804	25.3	92.9	1,527	36.8	176.4	2,331	31.8	269.3	865,670
	60+	382	12.0	28.3	658	15.9	48.7	1,040	14.2	76.9	1,351,661
	Unk	1	0.0	1	0.0	.	.
Race/Ethnicity	White Not-Hispanic	850	26.8	19.8	988	23.8	21.4	1,838	25.1	41.2	4,370,744
	Black Not-Hispanic	1,333	42.0	265.2	1,712	41.2	345.3	3,045	41.6	610.6	519,193
	Hispanic	660	20.8	131.6	905	21.8	192.6	1,565	21.4	324.2	574,772
	Asian/PI	38	1.2	14.7	20	0.5	7.8	58	0.8	22.6	232,197
	Native Am	5	0.2	22.9	6	0.1	27.4	11	0.2	50.3	22,564
	Multi Race**	287	9.0	.	520	12.5	.	807	11.0	.	.
	Unk	2	0.1	2	0.0	.	.
Risk	IDU	385	12.1	.	868	20.9	.	1,253	17.1	.	.
	Heterosexual	1,717	54.1	.	2,265	54.6	.	3,982	54.4	.	.
	Fem. Presumed Het.	957	30.1	.	861	20.7	.	1,818	24.8	.	.
	Blood Prod.	5	0.2	.	23	0.6	.	28	0.4	.	.
	Pediatric Risk	105	3.3	.	127	3.1	.	232	3.2	.	.
	Unk	6	0.2	.	7	0.2	.	13	0.2	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE (Excluding NYC) -Females
Newly Diagnosed HIV Cases* (excluding prisoners) 2013 by Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		144	100.0	42	100.0	13	100.0	199	100.0	3.6	22.6
Age at Diagnosis	12 & under	2	1.4	2	1.0	0.2	.
	13-19	11	7.6	11	5.5	2.1	.
	20-24	16	11.1	2	4.8	1	7.7	19	9.5	4.9	11.1
	25-29	13	9.0	1	2.4	.	.	14	7.0	4.3	7.1
	30-39	39	27.1	10	23.8	2	15.4	51	25.6	8.0	20.4
	40-49	27	18.8	13	31.0	4	30.8	44	22.1	5.6	32.5
	50-59	28	19.4	11	26.2	4	30.8	43	21.6	5.0	28.2
	60+	8	5.6	5	11.9	2	15.4	15	7.5	1.1	38.5
	Unk
Race/Ethnicity	White Not-Hispanic	27	18.8	13	31.0	3	23.1	43	21.6	1.0	32.5
	Black Not-Hispanic	69	47.9	15	35.7	5	38.5	89	44.7	17.3	17.9
	Hispanic	37	25.7	9	21.4	2	15.4	48	24.1	9.1	19.6
	Asian/PI	1	0.7	1	2.4	1	7.7	3	1.5	1.2	50.0
	Native Am	1	0.7	1	0.5	4.8	.
	Multi Race‡	9	6.3	4	9.5	2	15.4	15	7.5	.	30.8
	Unk
Risk	IDU	10	6.9	3	7.1	1	7.7	14	7.0	.	23.1
	Heterosexual	62	43.1	19	45.2	5	38.5	86	43.2	.	23.5
	Fem. Presumed Het.	70	48.6	19	45.2	7	53.8	96	48.2	.	21.3
	Blood Prod.
	Pediatric Risk	2	1.4	2	1.0	.	.
	Unk	.	.	1	2.4	.	.	1	0.5	.	100.0

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 7G

NEW YORK STATE (Excluding NYC) -Females
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		122	100.0	2.2	8,413	100.0
Age at Diagnosis	12 & under	.	.	.	164	1.9
	13-19	2	1.6	0.4	128	1.5
	20-24	8	6.6	2.0	355	4.2
	25-29	7	5.7	2.1	997	11.9
	30-39	28	23.0	4.4	3,231	38.4
	40-49	35	28.7	4.5	2,381	28.3
	50-59	28	23.0	3.2	818	9.7
	60+	14	11.5	1.0	325	3.9
	Unk	.	.	.	14	0.2
Race/Ethnicity	White Not-Hispanic	30	24.6	0.7	2,436	29.0
	Black Not-Hispanic	50	41.0	9.8	3,782	45.0
	Hispanic	23	18.9	4.3	1,509	17.9
	Asian/PI	1	0.8	0.5	25	0.3
	Native Am	.	.	.	12	0.1
	Multi Race†	18	14.8	.	649	7.7
	Unk
Risk	IDU	16	13.1	.	2,841	33.8
	Heterosexual	64	52.5	.	3,799	45.2
	Fem. Presumed Het.	36	29.5	.	1,416	16.8
	Blood Prod.	.	.	.	95	1.1
	Pediatric Risk	5	4.1	.	249	3.0
	Unk	1	0.8	.	13	0.2

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE (Excluding NYC) - Females
Deaths Among HIV and AIDS Cases (January-December 2013)
by Age, Race/Ethnicity and Risk

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Deaths Among HIV & AIDS Cases	
		Number	Percent	Number	Percent	Number	Percent
		16	100.0	108	100.0	124	100.0
Age at Death	12 & under
	13-19
	20-24
	25-29	1	6.3	1	0.9	2	1.6
	30-39	2	12.5	12	11.1	14	11.3
	40-49	.	.	24	22.2	24	19.4
	50-59	6	37.5	39	36.1	45	36.3
	60+	7	43.8	32	29.6	39	31.5
Race/Ethnicity	White Not-Hispanic	3	18.8	23	21.3	26	21.0
	Black Not-Hispanic	9	56.3	43	39.8	52	41.9
	Hispanic	2	12.5	27	25.0	29	23.4
	Asian/PI
	Native Am
	Multi Race	2	12.5	15	13.9	17	13.7
	Unk
Risk	IDU	6	37.5	36	33.3	42	33.9
	Heterosexual	7	43.8	49	45.4	56	45.2
	Fem. Presumed Het.	3	18.8	22	20.4	25	20.2
	Blood Prod.
	Pediatric Risk
	Unk	.	.	1	0.9	1	0.8

Table 8A

NEW YORK STATE (Excluding NYC) -PRISONERS*
Living HIV and AIDS Cases as of December 2013, by Sex at Birth, Age and Race/Ethnicity

		Living HIV (not AIDS) Cases		Living AIDS Cases		Living HIV and AIDS Cases	
		Number	Percent	Number	Percent	Number	Percent
Total		2,287	100.0	3,474	100.0	5,761	100.0
Sex at Birth	Male	1,854	81.1	2,972	85.5	4,826	83.8
	Female	433	18.9	502	14.5	935	16.2
Current Age	12 & under	1	0.0	0	0.0	1	0.0
	13-19	4	0.2	0	0.0	4	0.1
	20-24	27	1.2	18	0.5	45	0.8
	25-29	63	2.8	33	0.9	96	1.7
	30-39	186	8.1	198	5.7	384	6.7
	40-49	684	29.9	1,049	30.2	1,733	30.1
	50-59	931	40.7	1,544	44.4	2,475	43.0
	60+	391	17.1	632	18.2	1,023	17.8
	Unk	0	0.0	0	0.0	0	0.0
Race/Ethnicity	White Not-Hispanic	228	10.0	236	6.8	464	8.1
	Black Not-Hispanic	919	40.2	1,472	42.4	2,391	41.5
	Hispanic	1,015	44.4	1,467	42.2	2,482	43.1
	Asian/PI	5	0.2	2	0.1	7	0.1
	Native Am	2	0.1	2	0.1	4	0.1
	Multi Race	118	5.2	295	8.5	413	7.2
	Unk	0	0.0	0	0.0	0	0.0

Data as of April 2015.

* "Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis.

NEW YORK STATE (Excluding NYC) -PRISONERS*
Newly Diagnosed HIV and AIDS Cases 2013 by Sex at Birth, Age and Race/Ethnicity**

		HIV Diagnoses†		AIDS Diagnoses	
		Number	Percent	Number	Percent
Total		37	100.0	39	100.0
Sex at Birth	Male	35	94.6	31	79.5
	Female	2	5.4	8	20.5
Age at Diagnosis	12 & under	0	0.0	0	0.0
	13-19	0	0.0	0	0.0
	20-24	11	29.7	4	10.3
	25-29	6	16.2	4	10.3
	30-39	14	37.8	6	15.4
	40-49	5	13.5	11	28.2
	50-59	1	2.7	12	30.8
	60+	0	0.0	2	5.1
	Unk	0	0.0	0	0.0
Race/Ethnicity	White Not-Hispanic	15	40.5	4	10.3
	Black Not-Hispanic	12	32.4	20	51.3
	Hispanic	10	27.0	12	30.8
	Asian/PI	0	0.0	0	0.0
	Native Am	0	0.0	0	0.0
	Multi Race	0	0.0	3	7.7
	Unk	0	0.0	0	0.0

Data as of April 2015.

* "Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis.

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

†Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

Table 8C

NEW YORK STATE (Excluding NYC) -PRISONERS*
Deaths Among HIV and AIDS Cases (January-December 2013), by Sex at Birth, Age and Race/Ethnicity

		HIV (not AIDS)		AIDS		HIV & AIDS	
		Number	Percent	Number	Percent	Number	Percent
Total		11	100.0	73	100.0	84	100.0
Sex at Birth	Male	8	72.7	61	83.6	69	82.1
	Female	3	27.3	12	16.4	15	17.9
Age at Death	12 & under	0	0.0	0	0.0	0	0.0
	13-19	0	0.0	0	0.0	0	0.0
	20-24	0	0.0	0	0.0	0	0.0
	25-29	0	0.0	1	1.4	1	1.2
	30-39	2	18.2	1	1.4	3	3.6
	40-49	0	0.0	19	26.0	19	22.6
	50-59	6	54.5	32	43.8	38	45.2
	60+	3	27.3	20	27.4	23	27.4
Race/Ethnicity	White Not-Hispanic	3	27.3	9	12.3	12	14.3
	Black Not-Hispanic	5	45.5	24	32.9	29	34.5
	Hispanic	2	18.2	30	41.1	32	38.1
	Asian/PI	0	0.0	0	0.0	0	0.0
	Native Am	0	0.0	0	0.0	0	0.0
	Multi Race	1	9.1	10	13.7	11	13.1
	Unk	0	0.0	0	0.0	0	0.0

Data as of April 2015.

* "Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis.

**NEW YORK STATE: (Excluding NYC) by Ryan White Region
Living HIV and AIDS Cases as of December 2013**

	Including Prisoners*			Excluding Prisoners*		
Ryan White Region	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Albany	1,623	2,099	3,722	1,177	1,395	2,572
Binghamton	192	288	480	182	262	444
Buffalo	1,566	1,863	3,429	1,228	1,348	2,576
Lower Hudson	1,818	2,998	4,816	1,565	2,617	4,182
Mid Hudson	1,299	1,988	3,287	840	1,259	2,099
Nassau/Suffolk	2,504	3,712	6,216	2,420	3,522	5,942
Rochester	1,464	1,774	3,238	1,248	1,449	2,697
Syracuse	1,292	1,696	2,988	811	1,092	1,903
Total	11,758	16,418	28,176	9,471	12,944	22,415

Table 9B

**NEW YORK STATE: (Excluding NYC) by Ryan White Region
Newly Diagnosed HIV* and AIDS Cases, 2013
and Cumulative AIDS Diagnosed through December 2013**

	Including Prisoners**			Excluding Prisoners**		
Ryan White Region	HIV Diagnoses†	AIDS Diagnoses	Cumulative AIDS Diagnoses	HIV Diagnoses†	AIDS Diagnoses	Cumulative AIDS Diagnoses
Albany	104	50	4,847	94	46	3,077
Binghamton	15	12	544	15	12	498
Buffalo	137	72	4,168	135	63	3,079
Lower Hudson	139	76	7,383	137	74	6,573
Mid Hudson	73	44	5,250	67	36	3,486
Nassau/Suffolk	237	136	9,468	234	129	9,083
Rochester	102	56	3,878	94	54	3,229
Syracuse	90	42	3,873	84	35	2,403
Total	897	488	39,411	860	449	31,428

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

** "Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis.

†Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**NEW YORK STATE: (Excluding NYC) by Ryan White Region
Deaths Among HIV and AIDS Cases, 2013**

	Including Prisoners*			Excluding Prisoners*		
Ryan White Region	HIV (not AIDS)	AIDS	HIV & AIDS	HIV (not AIDS)	AIDS	HIV & AIDS
Albany	8	37	45	7	30	37
Binghamton	2	6	8	0	5	5
Buffalo	13	54	67	9	45	54
Lower Hudson	4	48	52	4	40	44
Mid Hudson	5	52	57	3	34	37
Nassau/Suffolk	10	64	74	10	58	68
Rochester	6	45	51	6	37	43
Syracuse	5	43	48	3	27	30
Total	53	349	402	42	276	318

Data as of April 2015.

* "Prisoners" refers to persons incarcerated in state correctional facilities at time of diagnosis or at some time after diagnosis.

Table 10A

NEW YORK STATE RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Living HIV and AIDS Cases (excluding prisoners) as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		1,177	100.0	77.1	1,395	100.0	88.3	2,572	100.0	165.4	1,506,735
Sex at Birth	Male	780	66.3	101.2	950	68.1	120.1	1,730	67.3	221.2	748,030
	Female	397	33.7	53.0	445	31.9	57.3	842	32.7	110.3	758,705
Current Age	12 & under	7	0.6	3.4	.	.	.	7	0.3	3.4	207,913
	13-19	10	0.8	7.1	8	0.6	5.7	18	0.7	12.8	140,803
	20-24	54	4.6	47.0	21	1.5	18.3	75	2.9	65.2	114,991
	25-29	84	7.1	92.1	21	1.5	23.0	105	4.1	115.1	91,254
	30-39	165	14.0	95.9	151	10.8	87.8	316	12.3	183.7	171,994
	40-49	349	29.7	171.1	423	30.3	207.4	772	30.0	378.5	203,948
	50-59	356	30.2	154.9	515	36.9	224.1	871	33.9	379.0	229,798
	60+	151	12.8	43.6	256	18.4	74.0	407	15.8	117.6	346,034
	Unk	1	0.1	1	0.0	.	.
Race/Ethnicity	White Not-Hispanic	577	49.0	43.0	629	45.1	44.6	1,206	46.9	87.6	1,297,658
	Black Not-Hispanic	290	24.6	338.3	352	25.2	454.9	642	25.0	793.2	94,482
	Hispanic	178	15.1	378.6	240	17.2	530.7	418	16.3	909.4	65,629
	Asian/PI	15	1.3	37.4	9	0.6	28.9	24	0.9	66.4	41,161
	Native Am	1	0.1	13.2	2	0.1	27.9	3	0.1	41.2	7,805
	Multi Race**	116	9.9	.	163	11.7	.	279	10.8	.	.
	Unk
Risk	MSM	502	42.7	.	518	37.1	.	1,020	39.7	.	.
	IDU	112	9.5	.	233	16.7	.	345	13.4	.	.
	MSM/IDU	31	2.6	.	75	5.4	.	106	4.1	.	.
	Heterosexual	256	21.8	.	304	21.8	.	560	21.8	.	.
	Fem. Presumed Het.	138	11.7	.	108	7.7	.	246	9.6	.	.
	Blood Prod.	2	0.2	.	9	0.6	.	11	0.4	.	.
	Pediatric Risk	25	2.1	.	30	2.2	.	55	2.1	.	.
	Unk	111	9.4	.	118	8.5	.	229	8.9	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Newly Diagnosed HIV Cases* (excluding prisoners) 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		61	100.0	24	100.0	9	100.0	94	100.0	6.3	28.2
Sex at Birth	Male	44	72.1	23	95.8	7	77.8	74	78.7	9.9	34.3
	Female	17	27.9	1	4.2	2	22.2	20	21.3	2.7	5.6
Age at Diagnosis	12 & under
	13-19	3	4.9	1	4.2	.	.	4	4.3	2.8	25.0
	20-24	14	23.0	14	14.9	12.2	.
	25-29	12	19.7	3	12.5	.	.	15	16.0	16.4	20.0
	30-39	9	14.8	6	25.0	1	11.1	16	17.0	9.3	40.0
	40-49	12	19.7	7	29.2	5	55.6	24	25.5	11.8	36.8
	50-59	9	14.8	5	20.8	1	11.1	15	16.0	6.5	35.7
	60+	2	3.3	2	8.3	2	22.2	6	6.4	1.7	50.0
Race/Ethnicity	White Not-Hispanic	26	42.6	14	58.3	5	55.6	45	47.9	3.5	35.0
	Black Not-Hispanic	17	27.9	6	25.0	3	33.3	26	27.7	27.9	26.1
	Hispanic	14	23.0	3	12.5	1	11.1	18	19.1	30.2	17.6
	Asian/PI	2	3.3	2	2.1	4.0	.
	Native Am
	Multi Race‡	2	3.3	1	4.2	.	.	3	3.2	.	33.3
	Unk
Risk	MSM	25	41.0	15	62.5	4	44.4	44	46.8	.	37.5
	IDU	3	4.9	1	4.2	.	.	4	4.3	.	25.0
	MSM/IDU	3	4.9	2	8.3	.	.	5	5.3	.	40.0
	Heterosexual	14	23.0	.	.	1	11.1	15	16.0	.	.
	Fem. Presumed Het.	7	11.5	1	4.2	1	11.1	9	9.6	.	12.5
	Blood Prod.
	Pediatric Risk
	Unk	9	14.8	5	20.8	3	33.3	17	18.1	.	35.7

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: ALBANY
(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		46	100.0	3.1	3,077	100.0
Sex at Birth	Male	36	78.3	4.9	2,284	74.2
	Female	10	21.7	1.3	793	25.8
Age at Diagnosis	12 & under	.	.	.	31	1.0
	13-19	1	2.2	0.7	30	1.0
	20-24	4	8.7	3.5	94	3.1
	25-29	5	10.9	5.5	353	11.5
	30-39	11	23.9	6.4	1,149	37.3
	40-49	14	30.4	6.9	981	31.9
	50-59	8	17.4	3.5	348	11.3
	60+	3	6.5	0.9	88	2.9
	Unk	.	.	.	3	0.1
Race/Ethnicity	White Not-Hispanic	20	43.5	1.5	1,604	52.1
	Black Not-Hispanic	14	30.4	15.7	812	26.4
	Hispanic	7	15.2	10.9	431	14.0
	Asian/PI	.	.	.	10	0.3
	Native Am	.	.	.	4	0.1
	Multi Race†	5	10.9	.	216	7.0
	Unk
Risk	MSM	19	41.3	.	1,149	37.3
	IDU	5	10.9	.	774	25.2
	MSM/IDU	7	15.2	.	161	5.2
	Heterosexual	7	15.2	.	478	15.5
	Fem. Presumed Het.	1	2.2	.	177	5.8
	Blood Prod.	.	.	.	46	1.5
	Pediatric Risk	2	4.3	.	52	1.7
	Unk	5	10.9	.	240	7.8

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: ALBANY
(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)
**Deaths (January-December 2013) Among HIV and AIDS Cases (excluding prisoners),
 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		7	100.0	30	100.0	37	100.0
Sex at Birth	Male	4	57.1	17	56.7	21	56.8
	Female	3	42.9	13	43.3	16	43.2
Age at Death	12 & under
	13-19
	20-24
	25-29
	30-39	.	.	3	10.0	3	8.1
	40-49	1	14.3	7	23.3	8	21.6
	50-59	3	42.9	10	33.3	13	35.1
	60+	3	42.9	10	33.3	13	35.1
Race/Ethnicity	White Not-Hispanic	2	28.6	12	40.0	14	37.8
	Black Not-Hispanic	3	42.9	7	23.3	10	27.0
	Hispanic	1	14.3	6	20.0	7	18.9
	Asian/PI
	Native Am
	Multi Race	1	14.3	5	16.7	6	16.2
	Unk
Risk	MSM	2	28.6	7	23.3	9	24.3
	IDU	2	28.6	9	30.0	11	29.7
	MSM/IDU	1	14.3	2	6.7	3	8.1
	Heterosexual	1	14.3	7	23.3	8	21.6
	Fem. Presumed Het.	1	14.3	3	10.0	4	10.8
	Blood Prod.
	Pediatric Risk
	Unk	.	.	2	6.7	2	5.4

Table 11A

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON*(Includes counties of: Broome, Chenango, Tioga)***Living HIV and AIDS Cases (excluding prisoners) as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		182	100.0	64.2	262	100.0	87.9	444	100.0	152.1	297,280
Sex at Birth	Male	117	64.3	82.8	184	70.2	123.5	301	67.8	206.3	146,488
	Female	65	35.7	46.3	78	29.8	52.9	143	32.2	99.1	150,792
Current Age	12 & under	42,147
	13-19	4	2.2	13.8	.	.	.	4	0.9	13.8	29,084
	20-24	4	2.2	16.1	10	3.8	40.2	14	3.2	56.3	24,872
	25-29	15	8.2	91.8	8	3.1	49.0	23	5.2	140.8	16,341
	30-39	39	21.4	124.0	31	11.8	98.6	70	15.8	222.6	31,446
	40-49	54	29.7	148.8	73	27.9	201.2	127	28.6	350.1	36,280
	50-59	43	23.6	92.8	100	38.2	215.7	143	32.2	308.4	46,361
	60+	23	12.6	32.5	40	15.3	56.5	63	14.2	89.0	70,749
Race/Ethnicity	White Not-Hispanic	102	56.0	39.0	145	55.3	52.2	247	55.6	91.3	266,458
	Black Not-Hispanic	43	23.6	457.4	51	19.5	543.9	94	21.2	1001.3	12,071
	Hispanic	25	13.7	396.0	43	16.4	777.1	68	15.3	1173.1	9,295
	Native Am	1	0.5	125.6	.	.	.	1	0.2	125.6	704
	Multi Race**	11	6.0	.	23	8.8	.	34	7.7	.	.
	Unk
Risk	MSM	69	37.9	.	106	40.5	.	175	39.4	.	.
	IDU	26	14.3	.	42	16.0	.	68	15.3	.	.
	MSM/IDU	6	3.3	.	13	5.0	.	19	4.3	.	.
	Heterosexual	34	18.7	.	49	18.7	.	83	18.7	.	.
	Fem. Presumed Het.	26	14.3	.	18	6.9	.	44	9.9	.	.
	Blood Prod.	2	1.1	.	1	0.4	.	3	0.7	.	.
	Pediatric Risk	4	2.2	.	5	1.9	.	9	2.0	.	.
	Unk	15	8.2	.	28	10.7	.	43	9.7	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

Newly Diagnosed HIV Cases* (excluding prisoners) 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		8	100.0	5	100.0	2	100.0	15	100.0	5.2	38.5
Sex at Birth	Male	5	62.5	5	100.0	2	100.0	12	80.0	8.8	50.0
	Female	3	37.5	3	20.0	1.6	.
Age at Diagnosis	12 & under
	13-19	2	25.0	2	13.3	6.9	.
	20-24	.	.	2	40.0	1	50.0	3	20.0	12.1	100.0
	25-29	1	12.5	1	20.0	1	50.0	3	20.0	18.4	50.0
	30-39	4	50.0	4	26.7	12.7	.
	40-49	.	.	1	20.0	.	.	1	6.7	2.8	100.0
	50-59	1	12.5	1	6.7	2.2	.
	60+	.	.	1	20.0	.	.	1	6.7	1.4	100.0
Race/Ethnicity	White Not-Hispanic	2	25.0	3	60.0	1	50.0	6	40.0	2.6	60.0
	Black Not-Hispanic	3	37.5	3	20.0	19.5	.
	Hispanic	2	25.0	.	.	1	50.0	3	20.0	30.1	.
	Native Am
	Multi Race‡	1	12.5	2	40.0	.	.	3	20.0	.	66.7
	Unk
Risk	MSM	2	25.0	4	80.0	1	50.0	7	46.7	.	66.7
	IDU	1	12.5	.	.	1	50.0	2	13.3	.	.
	MSM/IDU	1	12.5	1	6.7	.	.
	Heterosexual	2	25.0	2	13.3	.	.
	Fem. Presumed Het.	1	12.5	1	6.7	.	.
	Blood Prod.
	Pediatric Risk
	Unk	1	12.5	1	20.0	.	.	2	13.3	.	50.0

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON*(Includes counties of: Broome, Chenango, Tioga)***AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk**

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		12	100.0	3.9	498	100.0
Sex at Birth	Male	10	83.3	6.6	368	73.9
	Female	2	16.7	1.2	130	26.1
Age at Diagnosis	12 & under	.	.	.	1	0.2
	13-19	.	.	.	9	1.8
	20-24	4	33.3	16.1	27	5.4
	25-29	2	16.7	12.2	53	10.6
	30-39	1	8.3	3.2	191	38.4
	40-49	1	8.3	2.8	146	29.3
	50-59	1	8.3	2.2	58	11.6
	60+	3	25.0	4.2	13	2.6
Race/Ethnicity	White Not-Hispanic	7	58.3	2.6	306	61.4
	Black Not-Hispanic	1	8.3	3.7	92	18.5
	Hispanic	2	16.7	26.8	67	13.5
	Native Am
	Multi Race†	2	16.7	.	33	6.6
	Unk
Risk	MSM	8	66.7	.	206	41.4
	IDU	1	8.3	.	103	20.7
	MSM/IDU	.	.	.	34	6.8
	Heterosexual	2	16.7	.	69	13.9
	Fem. Presumed Het.	.	.	.	30	6.0
	Blood Prod.	.	.	.	3	0.6
	Pediatric Risk	.	.	.	8	1.6
	Unk	1	8.3	.	45	9.0

*Data as of April 2015.***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.****per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.**†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.*

NEW YORK STATE RYAN WHITE REGION: BINGHAMTON*(Includes counties of: Broome, Chenango, Tioga)***Deaths (January-December 2013) Among HIV and AIDS Cases (excluding prisoners),
by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		.	.	5	100.0	5	100.0
Sex at Birth	Male	.	.	5	100.0	5	100.0
	Female
Age at Death	12 & under
	13-19
	20-24
	25-29	.	.	1	20.0	1	20.0
	30-39
	40-49	.	.	3	60.0	3	60.0
	50-59
	60+	.	.	1	20.0	1	20.0
Race/Ethnicity	White Not-Hispanic	.	.	4	80.0	4	80.0
	Black Not-Hispanic	.	.	1	20.0	1	20.0
	Hispanic
	Native Am
	Multi Race
	Unk
Risk	MSM	.	.	2	40.0	2	40.0
	IDU	.	.	1	20.0	1	20.0
	MSM/IDU	.	.	1	20.0	1	20.0
	Heterosexual
	Fem. Presumed Het.
	Blood Prod.
	Pediatric Risk
	Unk	.	.	1	20.0	1	20.0

Table 12A

NEW YORK STATE RYAN WHITE REGION: BUFFALO*(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)***Living HIV and AIDS Cases (excluding prisoners) as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		1,228	100.0	82.3	1,348	100.0	86.7	2,576	100.0	169.0	1,537,416
Sex at Birth	Male	824	67.1	109.9	934	69.3	120.7	1,758	68.2	230.6	751,463
	Female	404	32.9	55.1	414	30.7	54.3	818	31.8	109.4	785,953
Current Age	12 & under	7	0.6	3.1	1	0.1	0.4	8	0.3	3.6	222,661
	13-19	15	1.2	10.5	7	0.5	4.9	22	0.9	15.4	142,410
	20-24	69	5.6	61.4	27	2.0	24.0	96	3.7	85.5	112,320
	25-29	119	9.7	117.2	40	3.0	39.4	159	6.2	156.6	101,564
	30-39	283	23.0	166.6	164	12.2	96.5	447	17.4	263.1	169,903
	40-49	345	28.1	172.8	428	31.8	214.3	773	30.0	387.1	199,709
	50-59	287	23.4	121.2	462	34.3	195.1	749	29.1	316.2	236,859
	60+	103	8.4	29.3	219	16.2	62.2	322	12.5	91.5	351,990
Race/Ethnicity	White Not-Hispanic	487	39.7	39.2	498	36.9	37.2	985	38.2	76.4	1,269,902
	Black Not-Hispanic	420	34.2	288.2	503	37.3	363.1	923	35.8	651.2	154,180
	Hispanic	188	15.3	363.9	196	14.5	435.1	384	14.9	799.1	66,907
	Asian/PI	24	2.0	69.4	19	1.4	57.5	43	1.7	127.0	33,730
	Native Am	.	.	.	3	0.2	25.8	3	0.1	25.8	12,697
	Multi Race**	109	8.9	.	129	9.6	.	238	9.2	.	.
	Unk
Risk	MSM	571	46.5	.	574	42.6	.	1,145	44.4	.	.
	IDU	129	10.5	.	199	14.8	.	328	12.7	.	.
	MSM/IDU	51	4.2	.	93	6.9	.	144	5.6	.	.
	Heterosexual	326	26.5	.	365	27.1	.	691	26.8	.	.
	Fem. Presumed Het.	67	5.5	.	43	3.2	.	110	4.3	.	.
	Blood Prod.	2	0.2	.	8	0.6	.	10	0.4	.	.
	Pediatric Risk	18	1.5	.	20	1.5	.	38	1.5	.	.
	Unk	64	5.2	.	46	3.4	.	110	4.3	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BUFFALO
(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)

Newly Diagnosed HIV Cases* (excluding prisoners) 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		97	100.0	21	100.0	17	100.0	135	100.0	9.1	17.8
Sex at Birth	Male	71	73.2	17	81.0	16	94.1	104	77.0	13.9	19.3
	Female	26	26.8	4	19.0	1	5.9	31	23.0	4.3	13.3
Age at Diagnosis	12 & under
	13-19	6	6.2	6	4.4	4.2	.
	20-24	16	16.5	3	14.3	2	11.8	21	15.6	18.7	15.8
	25-29	21	21.6	2	9.5	2	11.8	25	18.5	24.6	8.7
	30-39	21	21.6	5	23.8	4	23.5	30	22.2	17.7	19.2
	40-49	19	19.6	5	23.8	6	35.3	30	22.2	15.0	20.8
	50-59	13	13.4	4	19.0	3	17.6	20	14.8	8.4	23.5
	60+	1	1.0	2	9.5	.	.	3	2.2	0.9	66.7
Race/Ethnicity	White Not-Hispanic	39	40.2	9	42.9	10	58.8	58	43.0	4.9	18.8
	Black Not-Hispanic	32	33.0	9	42.9	5	29.4	46	34.1	28.9	22.0
	Hispanic	20	20.6	3	14.3	1	5.9	24	17.8	40.7	13.0
	Asian/PI	1	5.9	1	0.7	1.4	.
	Native Am
	Multi Race‡	6	6.2	6	4.4	.	.
	Unk
Risk	MSM	51	52.6	13	61.9	9	52.9	73	54.1	.	20.3
	IDU	6	6.2	3	14.3	1	5.9	10	7.4	.	33.3
	MSM/IDU	5	5.2	.	.	1	5.9	6	4.4	.	.
	Heterosexual	20	20.6	2	9.5	.	.	22	16.3	.	9.1
	Fem. Presumed Het.	5	5.2	2	9.5	1	5.9	8	5.9	.	28.6
	Blood Prod.
	Pediatric Risk
	Unk	10	10.3	1	4.8	5	29.4	16	11.9	.	9.1

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BUFFALO
(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		63	100.0	4.3	3,079	100.0
Sex at Birth	Male	43	68.3	5.8	2,288	74.3
	Female	20	31.7	2.8	791	25.7
Age at Diagnosis	12 & under	.	.	.	30	1.0
	13-19	.	.	.	30	1.0
	20-24	8	12.7	7.1	137	4.4
	25-29	5	7.9	4.9	329	10.7
	30-39	18	28.6	10.6	1,114	36.2
	40-49	18	28.6	9.0	963	31.3
	50-59	10	15.9	4.2	363	11.8
	60+	4	6.3	1.1	112	3.6
	Unk	.	.	.	1	0.0
Race/Ethnicity	White Not-Hispanic	19	30.2	1.5	1,258	40.9
	Black Not-Hispanic	25	39.7	16.7	1,248	40.5
	Hispanic	12	19.0	22.2	374	12.1
	Asian/PI	2	3.2	3.4	18	0.6
	Native Am	.	.	.	7	0.2
	Multi Race†	5	7.9	.	174	5.7
	Unk
Risk	MSM	28	44.4	.	1,349	43.8
	IDU	11	17.5	.	714	23.2
	MSM/IDU	3	4.8	.	174	5.7
	Heterosexual	14	22.2	.	607	19.7
	Fem. Presumed Het.	4	6.3	.	67	2.2
	Blood Prod.	.	.	.	35	1.1
	Pediatric Risk	.	.	.	39	1.3
	Unk	3	4.8	.	94	3.1

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: BUFFALO
(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)
Deaths (January-December 2013) Among HIV and AIDS Cases (excluding prisoners),
by Sex at Birth, Age, Race/Ethnicity and Risk

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		9	100.0	45	100.0	54	100.0
Sex at Birth	Male	9	100.0	26	57.8	35	64.8
	Female	.	.	19	42.2	19	35.2
Age at Death	12 & under
	13-19
	20-24
	25-29	1	11.1	.	.	1	1.9
	30-39	1	11.1	4	8.9	5	9.3
	40-49	2	22.2	14	31.1	16	29.6
	50-59	1	11.1	18	40.0	19	35.2
	60+	4	44.4	9	20.0	13	24.1
Race/Ethnicity	White Not-Hispanic	6	66.7	15	33.3	21	38.9
	Black Not-Hispanic	2	22.2	15	33.3	17	31.5
	Hispanic	1	11.1	11	24.4	12	22.2
	Asian/PI
	Native Am
	Multi Race	.	.	4	8.9	4	7.4
	Unk
Risk	MSM	4	44.4	15	33.3	19	35.2
	IDU	2	22.2	12	26.7	14	25.9
	MSM/IDU	.	.	3	6.7	3	5.6
	Heterosexual	1	11.1	12	26.7	13	24.1
	Fem. Presumed Het.	.	.	1	2.2	1	1.9
	Blood Prod.
	Pediatric Risk
	Unk	2	22.2	2	4.4	4	7.4

Table 13A

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON*(Includes counties of: Putnam, Rockland, Westchester)***Living HIV and AIDS Cases (excluding prisoners) as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		1,565	100.0	114.0	2,617	100.0	181.9	4,182	100.0	295.9	1,389,350
Sex at Birth	Male	1,009	64.5	151.3	1,707	65.2	246.4	2,716	64.9	397.8	674,982
	Female	556	35.5	78.2	910	34.8	122.9	1,466	35.1	201.2	714,368
Current Age	12 & under	3	0.2	1.3	.	.	.	3	0.1	1.3	234,966
	13-19	33	2.1	23.8	13	0.5	9.4	46	1.1	33.2	138,408
	20-24	61	3.9	72.2	35	1.3	41.4	96	2.3	113.7	84,441
	25-29	134	8.6	172.5	63	2.4	81.1	197	4.7	253.7	77,659
	30-39	297	19.0	183.4	226	8.6	139.6	523	12.5	323.0	161,909
	40-49	418	26.7	210.3	671	25.6	337.6	1,089	26.0	548.0	198,737
	50-59	396	25.3	195.0	1,011	38.6	497.9	1,407	33.6	692.9	203,061
	60+	222	14.2	76.5	598	22.9	206.1	820	19.6	282.6	290,169
	Unk	1	0.1	1	0.0	.	.
Race/Ethnicity	White Not-Hispanic	365	23.3	42.8	528	20.2	54.9	893	21.4	97.7	834,799
	Black Not-Hispanic	602	38.5	337.1	995	38.0	552.6	1,597	38.2	889.8	176,444
	Hispanic	441	28.2	156.8	747	28.5	310.9	1,188	28.4	467.7	291,975
	Asian/PI	9	0.6	10.9	6	0.2	6.6	15	0.4	17.5	83,638
	Native Am	3	0.2	138.6	3	0.1	111.4	6	0.1	250.0	2,494
	Multi Race**	145	9.3	.	338	12.9	.	483	11.5	.	.
	Unk
Risk	MSM	576	36.8	.	705	26.9	.	1,281	30.6	.	.
	IDU	141	9.0	.	599	22.9	.	740	17.7	.	.
	MSM/IDU	32	2.0	.	125	4.8	.	157	3.8	.	.
	Heterosexual	499	31.9	.	852	32.6	.	1,351	32.3	.	.
	Fem. Presumed Het.	127	8.1	.	103	3.9	.	230	5.5	.	.
	Blood Prod.	1	0.1	.	8	0.3	.	9	0.2	.	.
	Pediatric Risk	40	2.6	.	50	1.9	.	90	2.2	.	.
	Unk	149	9.5	.	175	6.7	.	324	7.7	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

Newly Diagnosed HIV Cases* (excluding prisoners) 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		94	100.0	39	100.0	4	100.0	137	100.0	10.5	29.3
Sex at Birth	Male	70	74.5	31	79.5	3	75.0	104	75.9	16.2	30.7
	Female	24	25.5	8	20.5	1	25.0	33	24.1	4.8	25.0
Age at Diagnosis	12 & under
	13-19	6	6.4	6	4.4	4.3	.
	20-24	15	16.0	1	2.6	.	.	16	11.7	18.9	6.3
	25-29	23	24.5	2	5.1	.	.	25	18.2	32.2	8.0
	30-39	22	23.4	9	23.1	1	25.0	32	23.4	19.8	29.0
	40-49	12	12.8	11	28.2	2	50.0	25	18.2	12.6	47.8
	50-59	13	13.8	11	28.2	.	.	24	17.5	11.8	45.8
	60+	3	3.2	5	12.8	1	25.0	9	6.6	3.1	62.5
Race/Ethnicity	White Not-Hispanic	14	14.9	8	20.5	2	50.0	24	17.5	3.1	36.4
	Black Not-Hispanic	41	43.6	15	38.5	1	25.0	57	41.6	32.7	26.8
	Hispanic	28	29.8	13	33.3	1	25.0	42	30.7	13.5	31.7
	Asian/PI	1	1.1	1	2.6	.	.	2	1.5	2.5	50.0
	Native Am
	Multi Race‡	10	10.6	2	5.1	.	.	12	8.8	.	16.7
	Unk
Risk	MSM	46	48.9	17	43.6	1	25.0	64	46.7	.	27.0
	IDU	1	1.1	1	0.7	.	.
	MSM/IDU	2	2.1	2	1.5	.	.
	Heterosexual	24	25.5	18	46.2	1	25.0	43	31.4	.	42.9
	Fem. Presumed Het.	12	12.8	2	5.1	.	.	14	10.2	.	14.3
	Blood Prod.
	Pediatric Risk
	Unk	9	9.6	2	5.1	2	50.0	13	9.5	.	18.2

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		74	100.0	5.4	6,573	100.0
Sex at Birth	Male	52	70.3	7.9	4,654	70.8
	Female	22	29.7	3.0	1,919	29.2
Age at Diagnosis	12 & under	.	.	.	83	1.3
	13-19	1	1.4	0.7	57	0.9
	20-24	4	5.4	4.7	177	2.7
	25-29	7	9.5	9.0	544	8.3
	30-39	12	16.2	7.4	2,406	36.6
	40-49	24	32.4	12.1	2,166	33.0
	50-59	17	23.0	8.4	808	12.3
	60+	9	12.2	3.1	323	4.9
	Unk	.	.	.	9	0.1
Race/Ethnicity	White Not-Hispanic	13	17.6	1.5	1,911	29.1
	Black Not-Hispanic	27	36.5	15.0	2,802	42.6
	Hispanic	20	27.0	6.7	1,405	21.4
	Asian/PI	1	1.4	1.2	17	0.3
	Native Am	.	.	.	4	0.1
	Multi Race†	13	17.6	.	434	6.6
	Unk
Risk	MSM	28	37.8	.	1,722	26.2
	IDU	2	2.7	.	2,406	36.6
	MSM/IDU	1	1.4	.	315	4.8
	Heterosexual	30	40.5	.	1,417	21.6
	Fem. Presumed Het.	5	6.8	.	188	2.9
	Blood Prod.	.	.	.	60	0.9
	Pediatric Risk	1	1.4	.	117	1.8
	Unk	7	9.5	.	348	5.3

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)
Deaths (January-December 2013) Among HIV and AIDS Cases (excluding prisoners),
by Sex at Birth, Age, Race/Ethnicity and Risk

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		4	100.0	40	100.0	44	100.0
Sex at Birth	Male	3	75.0	29	72.5	32	72.7
	Female	1	25.0	11	27.5	12	27.3
Age at Death	12 & under
	13-19
	20-24
	25-29
	30-39	.	.	5	12.5	5	11.4
	40-49	.	.	3	7.5	3	6.8
	50-59	2	50.0	21	52.5	23	52.3
	60+	2	50.0	11	27.5	13	29.5
Race/Ethnicity	White Not-Hispanic	1	25.0	10	25.0	11	25.0
	Black Not-Hispanic	3	75.0	10	25.0	13	29.5
	Hispanic	.	.	16	40.0	16	36.4
	Asian/PI
	Native Am
	Multi Race	.	.	4	10.0	4	9.1
	Unk
Risk	MSM	.	.	13	32.5	13	29.5
	IDU	.	.	12	30.0	12	27.3
	MSM/IDU	.	.	4	10.0	4	9.1
	Heterosexual	3	75.0	8	20.0	11	25.0
	Fem. Presumed Het.	.	.	1	2.5	1	2.3
	Blood Prod.
	Pediatric Risk
	Unk	1	25.0	2	5.0	3	6.8

Table 14A

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON*(Includes counties of: Dutchess, Orange, Sullivan, Ulster)***Living HIV and AIDS Cases (excluding prisoners) as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		840	100.0	88.3	1,259	100.0	127.0	2,099	100.0	215.4	930,171
Sex at Birth	Male	521	62.0	108.7	811	64.4	163.2	1,332	63.5	271.9	464,794
	Female	319	38.0	67.9	448	35.6	91.9	767	36.5	159.8	465,377
Current Age	12 & under	5	0.6	3.4	.	.	.	5	0.2	3.4	145,526
	13-19	14	1.7	14.8	3	0.2	3.2	17	0.8	18.0	94,699
	20-24	41	4.9	59.7	28	2.2	40.8	69	3.3	100.5	68,623
	25-29	63	7.5	122.1	27	2.1	52.3	90	4.3	174.5	51,585
	30-39	128	15.2	123.1	94	7.5	90.4	222	10.6	213.5	103,984
	40-49	211	25.1	157.6	322	25.6	240.6	533	25.4	398.2	133,842
	50-59	258	30.7	180.7	519	41.2	363.6	777	37.0	544.3	142,744
	60+	120	14.3	63.4	266	21.1	140.6	386	18.4	204.1	189,168
Race/Ethnicity	White Not-Hispanic	336	40.0	46.8	390	31.0	51.0	726	34.6	97.7	678,978
	Black Not-Hispanic	213	25.4	242.8	364	28.9	440.8	577	27.5	683.6	87,806
	Hispanic	181	21.5	155.2	333	26.4	341.0	514	24.5	496.2	133,570
	Asian/PI	7	0.8	25.1	4	0.3	14.4	11	0.5	39.5	27,165
	Native Am	1	0.1	30.0	.	.	.	1	0.0	30.0	2,652
	Multi Race**	101	12.0	.	168	13.3	.	269	12.8	.	.
	Unk	1	0.1	1	0.0	.	.
Risk	MSM	269	32.0	.	297	23.6	.	566	27.0	.	.
	IDU	128	15.2	.	339	26.9	.	467	22.2	.	.
	MSM/IDU	33	3.9	.	60	4.8	.	93	4.4	.	.
	Heterosexual	262	31.2	.	395	31.4	.	657	31.3	.	.
	Fem. Presumed Het.	60	7.1	.	51	4.1	.	111	5.3	.	.
	Blood Prod.	1	0.1	.	8	0.6	.	9	0.4	.	.
	Pediatric Risk	27	3.2	.	33	2.6	.	60	2.9	.	.
	Unk	60	7.1	.	76	6.0	.	136	6.5	.	.

*Data as of April 2015.***per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.*

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Newly Diagnosed HIV Cases* (excluding prisoners) 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		43	100.0	21	100.0	3	100.0	67	100.0	7.3	32.8
Sex at Birth	Male	30	69.8	15	71.4	2	66.7	47	70.1	10.0	33.3
	Female	13	30.2	6	28.6	1	33.3	20	29.9	4.4	31.6
Age at Diagnosis	12 & under
	13-19	3	7.0	3	4.5	3.2	.
	20-24	7	16.3	1	4.8	.	.	8	11.9	11.7	12.5
	25-29	6	14.0	6	28.6	.	.	12	17.9	23.3	50.0
	30-39	6	14.0	3	14.3	.	.	9	13.4	8.7	33.3
	40-49	10	23.3	6	28.6	.	.	16	23.9	12.0	37.5
	50-59	9	20.9	4	19.0	1	33.3	14	20.9	9.8	30.8
	60+	2	4.7	1	4.8	2	66.7	5	7.5	2.6	33.3
Race/Ethnicity	White Not-Hispanic	13	30.2	5	23.8	2	66.7	20	29.9	2.8	27.8
	Black Not-Hispanic	14	32.6	4	19.0	.	.	18	26.9	20.4	22.2
	Hispanic	11	25.6	10	47.6	.	.	21	31.3	16.6	47.6
	Asian/PI
	Native Am
	Multi Race‡	5	11.6	2	9.5	1	33.3	8	11.9	.	28.6
	Unk
Risk	MSM	19	44.2	8	38.1	2	66.7	29	43.3	.	29.6
	IDU	1	2.3	2	9.5	.	.	3	4.5	.	66.7
	MSM/IDU	1	2.3	1	4.8	.	.	2	3.0	.	50.0
	Heterosexual	12	27.9	7	33.3	.	.	19	28.4	.	36.8
	Fem. Presumed Het.	7	16.3	.	.	1	33.3	8	11.9	.	.
	Blood Prod.
	Pediatric Risk
	Unk	3	7.0	3	14.3	.	.	6	9.0	.	50.0

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		36	100.0	3.9	3,486	100.0
Sex at Birth	Male	21	58.3	4.6	2,566	73.6
	Female	15	41.7	3.2	920	26.4
Age at Diagnosis	12 & under	.	.	.	36	1.0
	13-19	1	2.8	1.1	31	0.9
	20-24	1	2.8	1.5	76	2.2
	25-29	7	19.4	13.6	291	8.3
	30-39	5	13.9	4.8	1,348	38.7
	40-49	5	13.9	3.7	1,133	32.5
	50-59	11	30.6	7.7	432	12.4
	60+	6	16.7	3.2	133	3.8
	Unk	.	.	.	6	0.2
Race/Ethnicity	White Not-Hispanic	10	27.8	1.3	1,267	36.3
	Black Not-Hispanic	10	27.8	12.3	1,111	31.9
	Hispanic	11	30.6	9.0	862	24.7
	Asian/PI	.	.	.	7	0.2
	Native Am	.	.	.	3	0.1
	Multi Race†	5	13.9	.	236	6.8
	Unk
Risk	MSM	12	33.3	.	788	22.6
	IDU	6	16.7	.	1,494	42.9
	MSM/IDU	1	2.8	.	163	4.7
	Heterosexual	12	33.3	.	642	18.4
	Fem. Presumed Het.	3	8.3	.	101	2.9
	Blood Prod.	.	.	.	40	1.1
	Pediatric Risk	.	.	.	59	1.7
	Unk	2	5.6	.	199	5.7

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)
**Deaths (January-December 2013) Among HIV and AIDS Cases (excluding prisoners),
 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		3	100.0	34	100.0	37	100.0
Sex at Birth	Male	2	66.7	22	64.7	24	64.9
	Female	1	33.3	12	35.3	13	35.1
Age at Death	12 & under
	13-19
	20-24
	25-29	1	33.3	.	.	1	2.7
	30-39	.	.	1	2.9	1	2.7
	40-49	2	66.7	1	2.9	3	8.1
	50-59	.	.	18	52.9	18	48.6
	60+	.	.	14	41.2	14	37.8
Race/Ethnicity	White Not-Hispanic	1	33.3	9	26.5	10	27.0
	Black Not-Hispanic	2	66.7	12	35.3	14	37.8
	Hispanic	.	.	6	17.6	6	16.2
	Asian/PI
	Native Am
	Multi Race	.	.	7	20.6	7	18.9
	Unk
Risk	MSM	1	33.3	4	11.8	5	13.5
	IDU	1	33.3	18	52.9	19	51.4
	MSM/IDU	.	.	4	11.8	4	10.8
	Heterosexual	1	33.3	5	14.7	6	16.2
	Fem. Presumed Het.	.	.	1	2.9	1	2.7
	Blood Prod.
	Pediatric Risk
	Unk	.	.	2	5.9	2	5.4

Table 15A

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK*(Includes counties of: Nassau, Suffolk)***Living HIV and AIDS Cases (excluding prisoners) as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		2,420	100.0	84.5	3,522	100.0	116.6	5,942	100.0	201.1	2,851,884
Sex at Birth	Male	1,606	66.4	114.2	2,435	69.1	165.7	4,041	68.0	279.9	1,394,008
	Female	814	33.6	55.3	1,087	30.9	70.6	1,901	32.0	125.9	1,457,876
Current Age	12 & under	8	0.3	1.8	.	.	.	8	0.1	1.8	439,313
	13-19	37	1.5	13.3	16	0.5	5.8	53	0.9	19.1	278,073
	20-24	129	5.3	70.8	57	1.6	31.3	186	3.1	102.1	182,262
	25-29	223	9.2	138.5	132	3.7	82.0	355	6.0	220.5	160,986
	30-39	441	18.2	136.5	338	9.6	104.6	779	13.1	241.2	323,011
	40-49	631	26.1	150.8	959	27.2	229.1	1,590	26.8	379.9	418,520
	50-59	637	26.3	145.1	1,310	37.2	298.3	1,947	32.8	443.4	439,132
	60+	312	12.9	51.1	710	20.2	116.3	1,022	17.2	167.4	610,587
	Unk	2	0.1	2	0.0	.	.
Race/Ethnicity	White Not-Hispanic	867	35.8	43.5	1,137	32.3	51.4	2,004	33.7	94.9	1,923,221
	Black Not-Hispanic	750	31.0	281.8	1,141	32.4	434.7	1,891	31.8	716.6	267,229
	Hispanic	604	25.0	133.1	884	25.1	216.6	1,488	25.0	349.7	477,518
	Asian/PI	27	1.1	14.1	24	0.7	12.7	51	0.9	26.8	178,347
	Native Am	1	0.0	25.5	1	0.0	17.1	2	0.0	42.6	5,569
	Multi Race**	168	6.9	.	335	9.5	.	503	8.5	.	.
	Unk	3	0.1	3	0.1	.	.
Risk	MSM	972	40.2	.	1,247	35.4	.	2,219	37.3	.	.
	IDU	183	7.6	.	557	15.8	.	740	12.5	.	.
	MSM/IDU	71	2.9	.	133	3.8	.	204	3.4	.	.
	Heterosexual	474	19.6	.	677	19.2	.	1,151	19.4	.	.
	Fem. Presumed Het.	307	12.7	.	324	9.2	.	631	10.6	.	.
	Blood Prod.	8	0.3	.	22	0.6	.	30	0.5	.	.
	Pediatric Risk	72	3.0	.	93	2.6	.	165	2.8	.	.
	Unk	333	13.8	.	469	13.3	.	802	13.5	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

Newly Diagnosed HIV Cases* (excluding prisoners) 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		163	100.0	61	100.0	10	100.0	234	100.0	8.5	27.2
Sex at Birth	Male	128	78.5	47	77.0	8	80.0	183	78.2	13.5	26.9
	Female	35	21.5	14	23.0	2	20.0	51	21.8	3.6	28.6
Age at Diagnosis	12 & under	1	0.6	1	0.4	0.2	.
	13-19	5	3.1	5	2.1	1.8	.
	20-24	33	20.2	4	6.6	1	10.0	38	16.2	20.8	10.8
	25-29	28	17.2	5	8.2	.	.	33	14.1	20.5	15.2
	30-39	34	20.9	17	27.9	3	30.0	54	23.1	16.7	33.3
	40-49	22	13.5	17	27.9	4	40.0	43	18.4	10.3	43.6
	50-59	24	14.7	9	14.8	2	20.0	35	15.0	8.0	27.3
	60+	16	9.8	9	14.8	.	.	25	10.7	4.1	36.0
Race/Ethnicity	White Not-Hispanic	45	27.6	23	37.7	3	30.0	71	30.3	3.9	33.8
	Black Not-Hispanic	49	30.1	13	21.3	3	30.0	65	27.8	23.8	21.0
	Hispanic	50	30.7	24	39.3	3	30.0	77	32.9	15.6	32.4
	Asian/PI	2	1.2	2	0.9	1.1	.
	Native Am
	Multi Race‡	17	10.4	1	1.6	1	10.0	19	8.1	.	5.6
	Unk
Risk	MSM	81	49.7	30	49.2	2	20.0	113	48.3	.	27.0
	IDU	6	3.7	.	.	1	10.0	7	3.0	.	.
	MSM/IDU	8	4.9	8	3.4	.	.
	Heterosexual	23	14.1	5	8.2	.	.	28	12.0	.	17.9
	Fem. Presumed Het.	20	12.3	9	14.8	2	20.0	31	13.2	.	31.0
	Blood Prod.
	Pediatric Risk	1	0.6	1	0.4	.	.
	Unk	24	14.7	17	27.9	5	50.0	46	19.7	.	41.5

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		129	100.0	4.6	9,083	100.0
Sex at Birth	Male	94	72.9	6.8	6,656	73.3
	Female	35	27.1	2.4	2,427	26.7
Age at Diagnosis	12 & under	.	.	.	143	1.6
	13-19	3	2.3	1.1	74	0.8
	20-24	9	7.0	4.9	274	3.0
	25-29	16	12.4	9.9	850	9.4
	30-39	30	23.3	9.3	3,535	38.9
	40-49	36	27.9	8.6	2,796	30.8
	50-59	22	17.1	5.0	1,019	11.2
	60+	13	10.1	2.1	387	4.3
	Unk	.	.	.	5	0.1
Race/Ethnicity	White Not-Hispanic	43	33.3	2.3	3,894	42.9
	Black Not-Hispanic	37	28.7	13.7	3,157	34.8
	Hispanic	39	30.2	7.9	1,535	16.9
	Asian/PI	2	1.6	0.9	41	0.5
	Native Am	.	.	.	6	0.1
	Multi Race†	8	6.2	.	449	4.9
	Unk	.	.	.	1	0.0
Risk	MSM	58	45.0	.	2,882	31.7
	IDU	4	3.1	.	2,750	30.3
	MSM/IDU	1	0.8	.	428	4.7
	Heterosexual	20	15.5	.	1,229	13.5
	Fem. Presumed Het.	15	11.6	.	531	5.8
	Blood Prod.	.	.	.	126	1.4
	Pediatric Risk	5	3.9	.	190	2.1
	Unk	26	20.2	.	947	10.4

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)
Deaths (January-December 2013) Among HIV and AIDS Cases (excluding prisoners),
by Sex at Birth, Age, Race/Ethnicity and Risk

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		10	100.0	58	100.0	68	100.0
Sex at Birth	Male	5	50.0	35	60.3	40	58.8
	Female	5	50.0	23	39.7	28	41.2
Age at Death	12 & under
	13-19
	20-24
	25-29	.	.	1	1.7	1	1.5
	30-39	.	.	4	6.9	4	5.9
	40-49	.	.	11	19.0	11	16.2
	50-59	5	50.0	16	27.6	21	30.9
	60+	5	50.0	26	44.8	31	45.6
Race/Ethnicity	White Not-Hispanic	6	60.0	15	25.9	21	30.9
	Black Not-Hispanic	3	30.0	18	31.0	21	30.9
	Hispanic	1	10.0	20	34.5	21	30.9
	Asian/PI
	Native Am
	Multi Race	.	.	5	8.6	5	7.4
	Unk
Risk	MSM	2	20.0	13	22.4	15	22.1
	IDU	4	40.0	15	25.9	19	27.9
	MSM/IDU	.	.	4	6.9	4	5.9
	Heterosexual	3	30.0	15	25.9	18	26.5
	Fem. Presumed Het.	.	.	6	10.3	6	8.8
	Blood Prod.	.	.	1	1.7	1	1.5
	Pediatric Risk
	Unk	1	10.0	4	6.9	5	7.4

Table 16A

NEW YORK STATE RYAN WHITE REGION: ROCHESTER*(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)***Living HIV and AIDS Cases (excluding prisoners) as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk**

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		1,248	100.0	98.2	1,449	100.0	109.9	2,697	100.0	208.1	1,282,068
Sex at Birth	Male	910	72.9	144.6	1,010	69.7	156.1	1,920	71.2	300.7	627,068
	Female	338	27.1	53.1	439	30.3	65.8	777	28.8	118.9	655,000
Current Age	12 & under	3	0.2	1.6	1	0.1	0.5	4	0.1	2.1	193,294
	13-19	11	0.9	8.9	4	0.3	3.2	15	0.6	12.2	123,222
	20-24	66	5.3	69.6	25	1.7	26.4	91	3.4	96.0	94,771
	25-29	110	8.8	132.9	44	3.0	53.2	154	5.7	186.1	82,763
	30-39	228	18.3	157.7	130	9.0	89.9	358	13.3	247.6	144,576
	40-49	340	27.2	201.7	413	28.5	245.1	753	27.9	446.8	168,532
	50-59	324	26.0	168.4	558	38.5	290.0	882	32.7	458.3	192,439
	60+	166	13.3	58.8	274	18.9	97.0	440	16.3	155.8	282,471
Race/Ethnicity	White Not-Hispanic	510	40.9	48.4	558	38.5	50.1	1,068	39.6	98.5	1,036,440
	Black Not-Hispanic	456	36.5	373.3	548	37.8	479.3	1,004	37.2	852.6	132,821
	Hispanic	192	15.4	322.5	228	15.7	442.3	420	15.6	764.8	75,445
	Asian/PI	8	0.6	21.3	3	0.2	8.1	11	0.4	29.4	33,811
	Native Am	1	0.1	25.1	.	.	.	1	0.0	25.1	3,551
	Multi Race**	81	6.5	.	112	7.7	.	193	7.2	.	.
	Unk
Risk	MSM	604	48.4	.	545	37.6	.	1,149	42.6	.	.
	IDU	113	9.1	.	257	17.7	.	370	13.7	.	.
	MSM/IDU	38	3.0	.	64	4.4	.	102	3.8	.	.
	Heterosexual	201	16.1	.	266	18.4	.	467	17.3	.	.
	Fem. Presumed Het.	141	11.3	.	141	9.7	.	282	10.5	.	.
	Blood Prod.	.	.	.	9	0.6	.	9	0.3	.	.
	Pediatric Risk	15	1.2	.	16	1.1	.	31	1.1	.	.
	Unk	136	10.9	.	151	10.4	.	287	10.6	.	.

*Data as of April 2015.***per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.****The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.*

NEW YORK STATE RYAN WHITE REGION: ROCHESTER*(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)***Newly Diagnosed HIV Cases* (excluding prisoners) 2013 by Sex at Birth, Age, Race/Ethnicity and Risk**

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		67	100.0	21	100.0	6	100.0	94	100.0	7.4	23.9
Sex at Birth	Male	57	85.1	15	71.4	4	66.7	76	80.9	12.1	20.8
	Female	10	14.9	6	28.6	2	33.3	18	19.1	2.8	37.5
Age at Diagnosis	12 & under	1	1.5	1	1.1	0.5	.
	13-19	4	6.0	4	4.3	3.2	.
	20-24	12	17.9	2	9.5	.	.	14	14.9	14.8	14.3
	25-29	15	22.4	3	14.3	1	16.7	19	20.2	23.0	16.7
	30-39	12	17.9	4	19.0	1	16.7	17	18.1	11.8	25.0
	40-49	13	19.4	5	23.8	3	50.0	21	22.3	12.5	27.8
	50-59	6	9.0	5	23.8	1	16.7	12	12.8	6.2	45.5
	60+	4	6.0	2	9.5	.	.	6	6.4	2.1	33.3
Race/Ethnicity	White Not-Hispanic	19	28.4	7	33.3	3	50.0	29	30.9	2.9	26.9
	Black Not-Hispanic	30	44.8	9	42.9	.	.	39	41.5	27.6	23.1
	Hispanic	14	20.9	4	19.0	2	33.3	20	21.3	29.4	22.2
	Asian/PI	1	1.5	.	.	1	16.7	2	2.1	5.7	.
	Native Am
	Multi Race‡	3	4.5	1	4.8	.	.	4	4.3	.	25.0
	Unk
	
Risk	MSM	40	59.7	8	38.1	1	16.7	49	52.1	.	16.7
	IDU	2	3.0	3	14.3	.	.	5	5.3	.	60.0
	MSM/IDU	2	3.0	2	2.1	.	.
	Heterosexual	6	9.0	4	19.0	2	33.3	12	12.8	.	40.0
	Fem. Presumed Het.	7	10.4	3	14.3	1	16.7	11	11.7	.	30.0
	Blood Prod.
	Pediatric Risk	1	1.5	1	1.1	.	.
	Unk	9	13.4	3	14.3	2	33.3	14	14.9	.	25.0
	

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: ROCHESTER
(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		54	100.0	4.3	3,229	100.0
Sex at Birth	Male	43	79.6	7.0	2,388	74.0
	Female	11	20.4	1.7	841	26.0
Age at Diagnosis	12 & under	.	.	.	24	0.7
	13-19	.	.	.	21	0.7
	20-24	8	14.8	8.4	117	3.6
	25-29	4	7.4	4.8	342	10.6
	30-39	9	16.7	6.2	1,218	37.7
	40-49	16	29.6	9.5	1,001	31.0
	50-59	13	24.1	6.8	364	11.3
	60+	4	7.4	1.4	139	4.3
	Unk	.	.	.	3	0.1
Race/Ethnicity	White Not-Hispanic	17	31.5	1.7	1,460	45.2
	Black Not-Hispanic	24	44.4	19.3	1,193	36.9
	Hispanic	7	13.0	12.7	426	13.2
	Asian/PI	.	.	.	7	0.2
	Native Am	.	.	.	2	0.1
	Multi Race†	6	11.1	.	141	4.4
	Unk
Risk	MSM	21	38.9	.	1,232	38.2
	IDU	7	13.0	.	870	26.9
	MSM/IDU	4	7.4	.	145	4.5
	Heterosexual	7	13.0	.	393	12.2
	Fem. Presumed Het.	5	9.3	.	214	6.6
	Blood Prod.	.	.	.	35	1.1
	Pediatric Risk	.	.	.	31	1.0
	Unk	10	18.5	.	309	9.6

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: ROCHESTER
(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuyler, Seneca, Steuben, Wayne, Yates)
Deaths (January-December 2013) Among HIV and AIDS Cases (excluding prisoners),
by Sex at Birth, Age, Race/Ethnicity and Risk

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		6	100.0	37	100.0	43	100.0
Sex at Birth	Male	4	66.7	29	78.4	33	76.7
	Female	2	33.3	8	21.6	10	23.3
Age at Death	12 & under
	13-19
	20-24	.	.	1	2.7	1	2.3
	25-29	.	.	2	5.4	2	4.7
	30-39	.	.	3	8.1	3	7.0
	40-49	.	.	9	24.3	9	20.9
	50-59	4	66.7	7	18.9	11	25.6
	60+	2	33.3	15	40.5	17	39.5
Race/Ethnicity	White Not-Hispanic	1	16.7	15	40.5	16	37.2
	Black Not-Hispanic	3	50.0	16	43.2	19	44.2
	Hispanic	.	.	2	5.4	2	4.7
	Asian/PI
	Native Am
	Multi Race	2	33.3	4	10.8	6	14.0
	Unk
Risk	MSM	2	33.3	11	29.7	13	30.2
	IDU	1	16.7	14	37.8	15	34.9
	MSM/IDU	1	16.7	2	5.4	3	7.0
	Heterosexual	1	16.7	3	8.1	4	9.3
	Fem. Presumed Het.	1	16.7	3	8.1	4	9.3
	Blood Prod.
	Pediatric Risk
	Unk	.	.	4	10.8	4	9.3

Table 17A

NEW YORK STATE RYAN WHITE REGION: SYRACUSE
*(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison,
 Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)*

Living HIV and AIDS Cases (excluding prisoners) as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		811	100.0	57.7	1,092	100.0	76.2	1,903	100.0	133.9	1,450,386
Sex at Birth	Male	529	65.2	74.6	762	69.8	106.6	1,291	67.8	181.2	718,987
	Female	282	34.8	40.6	330	30.2	46.5	612	32.2	87.1	731,399
Current Age	12 & under	4	0.5	1.8	.	.	.	4	0.2	1.8	219,149
	13-19	9	1.1	6.1	1	0.1	0.7	10	0.5	6.8	146,565
	20-24	58	7.2	45.8	9	0.8	7.1	67	3.5	53.0	126,504
	25-29	79	9.7	82.8	39	3.6	40.9	118	6.2	123.7	95,393
	30-39	171	21.1	104.9	117	10.7	71.8	288	15.1	176.7	163,005
	40-49	227	28.0	122.6	341	31.2	184.2	568	29.8	306.8	185,167
	50-59	184	22.7	87.8	419	38.4	200.0	603	31.7	287.8	209,534
	60+	79	9.7	25.9	166	15.2	54.4	245	12.9	80.3	305,069
Race/Ethnicity	White Not-Hispanic	427	52.7	34.9	575	52.7	44.8	1,002	52.7	79.7	1,248,187
	Black Not-Hispanic	221	27.3	267.9	287	26.3	401.7	508	26.7	669.6	93,939
	Hispanic	93	11.5	222.8	119	10.9	375.0	212	11.1	597.8	57,688
	Asian/PI	17	2.1	41.1	14	1.3	39.9	31	1.6	81.1	41,999
	Native Am	3	0.4	34.0	3	0.3	32.5	6	0.3	66.4	8,573
	Multi Race**	50	6.2	.	94	8.6	.	144	7.6	.	.
	Unk
Risk	MSM	371	45.7	.	454	41.6	.	825	43.4	.	.
	IDU	61	7.5	.	142	13.0	.	203	10.7	.	.
	MSM/IDU	18	2.2	.	58	5.3	.	76	4.0	.	.
	Heterosexual	180	22.2	.	250	22.9	.	430	22.6	.	.
	Fem. Presumed Het.	91	11.2	.	73	6.7	.	164	8.6	.	.
	Blood Prod.	1	0.1	.	10	0.9	.	11	0.6	.	.
	Pediatric Risk	18	2.2	.	11	1.0	.	29	1.5	.	.
	Unk	71	8.8	.	94	8.6	.	165	8.7	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: SYRACUSE*(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)***Newly Diagnosed HIV Cases* (excluding prisoners) 2013 by Sex at Birth, Age, Race/Ethnicity and Risk**

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		53	100.0	21	100.0	10	100.0	84	100.0	6.0	28.4
Sex at Birth	Male	37	69.8	18	85.7	6	60.0	61	72.6	8.5	32.7
	Female	16	30.2	3	14.3	4	40.0	23	27.4	3.3	15.8
Age at Diagnosis	12 & under
	13-19	3	5.7	3	3.6	2.0	.
	20-24	7	13.2	2	9.5	.	.	9	10.7	7.1	22.2
	25-29	9	17.0	5	23.8	.	.	14	16.7	14.7	35.7
	30-39	9	17.0	1	4.8	4	40.0	14	16.7	8.6	10.0
	40-49	13	24.5	10	47.6	1	10.0	24	28.6	13.0	43.5
	50-59	11	20.8	2	9.5	4	40.0	17	20.2	8.1	15.4
	60+	1	1.9	1	4.8	1	10.0	3	3.6	1.0	50.0
Race/Ethnicity	White Not-Hispanic	20	37.7	8	38.1	3	30.0	31	36.9	2.5	28.6
	Black Not-Hispanic	15	28.3	7	33.3	3	30.0	25	29.8	27.6	31.8
	Hispanic	9	17.0	5	23.8	2	20.0	16	19.0	34.4	35.7
	Asian/PI	1	1.9	.	.	2	20.0	3	3.6	6.7	.
	Native Am	1	1.9	1	1.2	13.8	.
	Multi Race‡	7	13.2	1	4.8	.	.	8	9.5	.	12.5
	Unk
Risk	MSM	25	47.2	14	66.7	3	30.0	42	50.0	.	35.9
	IDU	3	5.7	.	.	2	20.0	5	6.0	.	.
	MSM/IDU	2	3.8	2	2.4	.	.
	Heterosexual	4	7.5	1	4.8	3	30.0	8	9.5	.	20.0
	Fem. Presumed Het.	11	20.8	2	9.5	1	10.0	14	16.7	.	15.4
	Blood Prod.
	Pediatric Risk
	Unk	8	15.1	4	19.0	1	10.0	13	15.5	.	33.3

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: SYRACUSE
(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)
AIDS Cases (excluding prisoners), Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		35	100.0	2.5	2,403	100.0
Sex at Birth	Male	28	80.0	4.0	1,811	75.4
	Female	7	20.0	1.0	592	24.6
Age at Diagnosis	12 & under	.	.	.	15	0.6
	13-19	.	.	.	31	1.3
	20-24	1	2.9	0.8	101	4.2
	25-29	8	22.9	8.4	288	12.0
	30-39	5	14.3	3.1	954	39.7
	40-49	14	40.0	7.6	696	29.0
	50-59	4	11.4	1.9	240	10.0
	60+	3	8.6	1.0	78	3.2
Race/Ethnicity	White Not-Hispanic	16	45.7	1.3	1,375	57.2
	Black Not-Hispanic	7	20.0	7.8	660	27.5
	Hispanic	7	20.0	12.6	222	9.2
	Asian/PI	1	2.9	2.3	17	0.7
	Native Am	.	.	.	7	0.3
	Multi Race†	4	11.4	.	122	5.1
	Unk
Risk	MSM	21	60.0	.	1,013	42.2
	IDU	1	2.9	.	478	19.9
	MSM/IDU	1	2.9	.	144	6.0
	Heterosexual	5	14.3	.	421	17.5
	Fem. Presumed Het.	3	8.6	.	108	4.5
	Blood Prod.	.	.	.	50	2.1
	Pediatric Risk	.	.	.	27	1.1
	Unk	4	11.4	.	162	6.7

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK STATE RYAN WHITE REGION: SYRACUSE
(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)
**Deaths (January-December 2013) Among HIV and AIDS Cases (excluding prisoners),
 by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		3	100.0	27	100.0	30	100.0
Sex at Birth	Male	2	66.7	17	63.0	19	63.3
	Female	1	33.3	10	37.0	11	36.7
Age at Death	12 & under
	13-19
	20-24
	25-29
	30-39	.	.	4	14.8	4	13.3
	40-49	.	.	6	22.2	6	20.0
	50-59	2	66.7	9	33.3	11	36.7
	60+	1	33.3	8	29.6	9	30.0
Race/Ethnicity	White Not-Hispanic	1	33.3	16	59.3	17	56.7
	Black Not-Hispanic	1	33.3	3	11.1	4	13.3
	Hispanic	1	33.3	3	11.1	4	13.3
	Asian/PI
	Native Am
	Multi Race	.	.	5	18.5	5	16.7
	Unk
Risk	MSM	1	33.3	13	48.1	14	46.7
	IDU	.	.	3	11.1	3	10.0
	MSM/IDU
	Heterosexual	1	33.3	9	33.3	10	33.3
	Fem. Presumed Het.	.	.	2	7.4	2	6.7
	Blood Prod.
	Pediatric Risk
	Unk	1	33.3	.	.	1	3.3

Table 18A

***NEW YORK CITY: by Borough
Living HIV and AIDS Cases as of December 2013***

Borough	Living HIV (not AIDS)	Living AIDS	Living HIV & AIDS
Bronx	8,939	14,945	23,884
Brooklyn	10,845	17,325	28,170
Manhattan	14,636	19,539	34,175
Queens	6,618	10,330	16,948
Staten Island	770	1,143	1,913
Total	41,808	63,282	105,090

NEW YORK CITY: by Borough
Newly Diagnosed HIV* and AIDS Cases, 2013
and Cumulative AIDS Diagnosed through December 2013

Borough	HIV Diagnoses**	AIDS Diagnoses	Cumulative AIDS Diagnoses
Bronx	571	409	36,281
Brooklyn	760	482	44,417
Manhattan	749	397	55,274
Queens	481	291	23,623
Staten Island	54	26	3,335
Total	2,615	1,605	162,930

Data as of April 2015.

**Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.*

***Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.*

Table 18C

***NEW YORK CITY: by Borough
Deaths Among HIV and AIDS Cases, 2013***

Borough	HIV (not AIDS)	AIDS	HIV & AIDS
Bronx	66	332	398
Brooklyn	74	396	470
Manhattan	76	407	483
Queens	33	173	206
Staten Island	5	40	45
Total	254	1,348	1,602

NEW YORK CITY BOROUGH: BRONX
Living HIV and AIDS Cases as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		8,939	100.0	653.5	14,945	100.0	1140.7	23,884	100.0	1794.2	1,418,733
Sex at Birth	Male	5,189	58.0	818.4	9,199	61.6	1556.4	14,388	60.2	2374.8	669,055
	Female	3,750	42.0	512.9	5,746	38.4	803.6	9,496	39.8	1316.5	749,678
Current Age	12 & under	25	0.3	9.4	5	0.0	1.9	30	0.1	11.3	266,436
	13-19	175	2.0	123.2	92	0.6	64.8	267	1.1	188.0	142,027
	20-24	479	5.4	391.2	308	2.1	251.5	787	3.3	642.7	122,452
	25-29	760	8.5	685.4	479	3.2	432.0	1,239	5.2	1117.4	110,885
	30-39	1,853	20.7	959.2	1,597	10.7	826.7	3,450	14.4	1786.0	193,173
	40-49	2,357	26.4	1250.7	4,151	27.8	2202.7	6,508	27.2	3453.5	188,448
	50-59	2,269	25.4	1314.1	5,438	36.4	3149.3	7,707	32.3	4463.4	172,671
	60+	1,021	11.4	458.6	2,874	19.2	1290.9	3,895	16.3	1749.5	222,641
	Unk	.	.	.	1	0.0	.	1	0.0	.	.
Race/Ethnicity	White Not-Hispanic	341	3.8	239.7	548	3.7	368.8	889	3.7	608.5	152,345
	Black Not-Hispanic	4,198	47.0	969.2	6,353	42.5	1490.8	10,551	44.2	2460.1	431,383
	Hispanic	4,185	46.8	582.1	7,725	51.7	1168.4	11,910	49.9	1750.5	774,779
	Asian/PI	36	0.4	62.0	51	0.3	90.9	87	0.4	152.9	55,251
	Native Am	6	0.1	123.8	6	0.0	137.5	12	0.1	261.3	4,975
	Multi Race**	138	1.5	.	256	1.7	.	394	1.6	.	.
	Unk	35	0.4	.	6	0.0	.	41	0.2	.	.
Risk	MSM	2,137	23.9	.	2,583	17.3	.	4,720	19.8	.	.
	IDU	996	11.1	.	3,675	24.6	.	4,671	19.6	.	.
	MSM/IDU	158	1.8	.	458	3.1	.	616	2.6	.	.
	Heterosexual	1,753	19.6	.	3,146	21.1	.	4,899	20.5	.	.
	Fem. Presumed Het.	1,900	21.3	.	2,087	14.0	.	3,987	16.7	.	.
	Blood Prod.	5	0.1	.	30	0.2	.	35	0.1	.	.
	Pediatric Risk	314	3.5	.	426	2.9	.	740	3.1	.	.
	Unk	1,676	18.7	.	2,540	17.0	.	4,216	17.7	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 19B

NEW YORK CITY BOROUGH: BRONX
Newly Diagnosed HIV Cases* 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		428	100.0	122	100.0	21	100.0	571	100.0	38.8	22.2
Sex at Birth	Male	290	67.8	85	69.7	15	71.4	390	68.3	55.2	22.7
	Female	138	32.2	37	30.3	6	28.6	181	31.7	23.9	21.1
Age at Diagnosis	12 & under
	13-19	26	6.1	1	0.8	.	.	27	4.7	19.0	3.7
	20-24	87	20.3	14	11.5	5	23.8	106	18.6	86.6	13.9
	25-29	82	19.2	20	16.4	3	14.3	105	18.4	94.7	19.6
	30-39	106	24.8	21	17.2	5	23.8	132	23.1	68.3	16.5
	40-49	67	15.7	32	26.2	6	28.6	105	18.4	55.7	32.3
	50-59	41	9.6	19	15.6	.	.	60	10.5	34.7	31.7
	60+	19	4.4	15	12.3	2	9.5	36	6.3	16.2	44.1
Race/Ethnicity	White Not-Hispanic	8	1.9	3	2.5	.	.	11	1.9	8.0	27.3
	Black Not-Hispanic	194	45.3	56	45.9	11	52.4	261	45.7	57.9	22.4
	Hispanic	208	48.6	59	48.4	9	42.9	276	48.3	34.4	22.1
	Asian/PI	2	0.5	.	.	1	4.8	3	0.5	5.3	.
	Native Am
	Multi Race‡	16	3.7	4	3.3	.	.	20	3.5	.	20.0
	Unk
Risk	MSM	195	45.6	47	38.5	5	23.8	247	43.3	.	19.4
	IDU	10	2.3	5	4.1	3	14.3	18	3.2	.	33.3
	MSM/IDU	11	2.6	1	0.8	2	9.5	14	2.5	.	8.3
	Heterosexual	72	16.8	16	13.1	2	9.5	90	15.8	.	18.2
	Fem. Presumed Het.	79	18.5	25	20.5	3	14.3	107	18.7	.	24.0
	Blood Prod.
	Pediatric Risk
	Unk	61	14.3	28	23.0	6	28.6	95	16.6	.	31.5

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BRONX
AIDS Cases, Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		409	100.0	29.2	36,281	100.0
Sex at Birth	Male	276	67.5	42.3	23,720	65.4
	Female	133	32.5	18.0	12,561	34.6
Age at Diagnosis	12 & under	.	.	.	663	1.8
	13-19	6	1.5	4.2	320	0.9
	20-24	44	10.8	35.9	1,212	3.3
	25-29	43	10.5	38.8	3,331	9.2
	30-39	85	20.8	44.0	13,480	37.2
	40-49	112	27.4	59.4	11,496	31.7
	50-59	83	20.3	48.1	4,367	12.0
	60+	36	8.8	16.2	1,374	3.8
	Unk	.	.	.	38	0.1
Race/Ethnicity	White Not-Hispanic	7	1.7	5.2	1,811	5.0
	Black Not-Hispanic	205	50.1	45.7	14,906	41.1
	Hispanic	182	44.5	25.1	18,737	51.6
	Asian/PI	1	0.2	1.5	83	0.2
	Native Am	.	.	.	6	0.0
	Multi Race†	14	3.4	.	730	2.0
	Unk	.	.	.	8	0.0
Risk	MSM	124	30.3	.	5,736	15.8
	IDU	42	10.3	.	15,130	41.7
	MSM/IDU	1	0.2	.	1,220	3.4
	Heterosexual	73	17.8	.	5,808	16.0
	Fem. Presumed Het.	70	17.1	.	3,113	8.6
	Blood Prod.	.	.	.	132	0.4
	Pediatric Risk	3	0.7	.	835	2.3
	Unk	96	23.5	.	4,307	11.9

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BRONX
Deaths Among HIV and AIDS Cases (January-December 2013), by Sex at Birth, Age, Race/Ethnicity and Risk

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		66	100.0	332	100.0	398	100.0
Sex at Birth	Male	47	71.2	217	65.4	264	66.3
	Female	19	28.8	115	34.6	134	33.7
Age at Death	12 & under
	13-19
	20-24	2	3.0	1	0.3	3	0.8
	25-29	1	1.5	7	2.1	8	2.0
	30-39	5	7.6	15	4.5	20	5.0
	40-49	8	12.1	74	22.3	82	20.6
	50-59	20	30.3	142	42.8	162	40.7
	60+	30	45.5	93	28.0	123	30.9
Race/Ethnicity	White Not-Hispanic	2	3.0	5	1.5	7	1.8
	Black Not-Hispanic	25	37.9	121	36.4	146	36.7
	Hispanic	36	54.5	196	59.0	232	58.3
	Asian/PI
	Native Am
	Multi Race	3	4.5	10	3.0	13	3.3
	Unk
Risk	MSM	8	12.1	51	15.4	59	14.8
	IDU	15	22.7	118	35.5	133	33.4
	MSM/IDU	2	3.0	8	2.4	10	2.5
	Heterosexual	10	15.2	60	18.1	70	17.6
	Fem. Presumed Het.	11	16.7	42	12.7	53	13.3
	Blood Prod.	1	1.5	3	0.9	4	1.0
	Pediatric Risk	.	.	3	0.9	3	0.8
	Unk	19	28.8	47	14.2	66	16.6

NEW YORK CITY BOROUGH: BROOKLYN
Living HIV and AIDS Cases as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		10,845	100.0	421.1	17,325	100.0	715.9	28,170	100.0	1137.0	2,592,149
Sex at Birth	Male	6,960	64.2	568.0	11,298	65.2	1012.4	18,258	64.8	1580.4	1,229,189
	Female	3,885	35.8	290.6	6,027	34.8	466.3	9,912	35.2	756.9	1,362,960
Current Age	12 & under	32	0.3	7.1	1	0.0	0.2	33	0.1	7.3	449,282
	13-19	160	1.5	74.7	86	0.5	40.2	246	0.9	114.9	214,121
	20-24	590	5.4	303.9	326	1.9	167.9	916	3.3	471.8	194,161
	25-29	1,053	9.7	441.5	542	3.1	227.2	1,595	5.7	668.7	238,511
	30-39	2,348	21.7	573.5	1,868	10.8	456.3	4,216	15.0	1029.7	409,420
	40-49	3,037	28.0	915.7	4,738	27.3	1428.5	7,775	27.6	2344.2	331,676
	50-59	2,450	22.6	782.8	6,219	35.9	1986.9	8,669	30.8	2769.7	312,999
	60+	1,175	10.8	265.8	3,543	20.5	801.6	4,718	16.7	1067.5	441,979
	Unk	.	.	.	2	0.0	.	2	0.0	.	.
Race/Ethnicity	White Not-Hispanic	1,477	13.6	163.5	1,588	9.2	194.0	3,065	10.9	357.4	946,520
	Black Not-Hispanic	6,498	59.9	774.0	10,571	61.0	1280.5	17,069	60.6	2054.6	825,601
	Hispanic	2,437	22.5	509.9	4,601	26.6	1065.2	7,038	25.0	1575.1	507,881
	Asian/PI	146	1.3	43.2	155	0.9	50.7	301	1.1	93.9	305,233
	Native Am	6	0.1	78.8	4	0.0	57.5	10	0.0	136.2	6,914
	Multi Race**	240	2.2	.	402	2.3	.	642	2.3	.	.
	Unk	41	0.4	.	4	0.0	.	45	0.2	.	.
Risk	MSM	3,831	35.3	.	4,300	24.8	.	8,131	28.9	.	.
	IDU	828	7.6	.	3,319	19.2	.	4,147	14.7	.	.
	MSM/IDU	142	1.3	.	426	2.5	.	568	2.0	.	.
	Heterosexual	1,936	17.9	.	3,369	19.4	.	5,305	18.8	.	.
	Fem. Presumed Het.	1,996	18.4	.	2,341	13.5	.	4,337	15.4	.	.
	Blood Prod.	5	0.0	.	45	0.3	.	50	0.2	.	.
	Pediatric Risk	279	2.6	.	388	2.2	.	667	2.4	.	.
	Unk	1,828	16.9	.	3,137	18.1	.	4,965	17.6	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 20B

NEW YORK CITY BOROUGH: BROOKLYN
Newly Diagnosed HIV Cases* 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		549	100.0	187	100.0	24	100.0	760	100.0	27.8	25.4
Sex at Birth	Male	426	77.6	134	71.7	19	79.2	579	76.2	43.6	23.9
	Female	123	22.4	53	28.3	5	20.8	181	23.8	13.2	30.1
Age at Diagnosis	12 & under	3	0.5	3	0.4	0.7	.
	13-19	29	5.3	5	2.7	1	4.2	35	4.6	16.3	14.7
	20-24	117	21.3	15	8.0	8	33.3	140	18.4	72.1	11.4
	25-29	103	18.8	22	11.8	2	8.3	127	16.7	53.2	17.6
	30-39	119	21.7	46	24.6	4	16.7	169	22.2	41.3	27.9
	40-49	104	18.9	51	27.3	5	20.8	160	21.1	48.2	32.9
	50-59	50	9.1	28	15.0	1	4.2	79	10.4	25.2	35.9
	60+	24	4.4	20	10.7	3	12.5	47	6.2	10.6	45.5
Race/Ethnicity	White Not-Hispanic	68	12.4	20	10.7	1	4.2	89	11.7	8.5	22.7
	Black Not-Hispanic	321	58.5	114	61.0	22	91.7	457	60.1	52.9	26.2
	Hispanic	124	22.6	45	24.1	1	4.2	170	22.4	31.3	26.6
	Asian/PI	7	1.3	7	0.9	1.9	.
	Native Am
	Multi Race‡	29	5.3	8	4.3	.	.	37	4.9	.	21.6
	Unk
Risk	MSM	314	57.2	77	41.2	10	41.7	401	52.8	.	19.7
	IDU	10	1.8	4	2.1	.	.	14	1.8	.	28.6
	MSM/IDU	7	1.3	2	1.1	1	4.2	10	1.3	.	22.2
	Heterosexual	66	12.0	31	16.6	2	8.3	99	13.0	.	32.0
	Fem. Presumed Het.	73	13.3	33	17.6	4	16.7	110	14.5	.	31.1
	Blood Prod.
	Pediatric Risk	3	0.5	3	0.4	.	.
	Unk	76	13.8	40	21.4	7	29.2	123	16.2	.	34.5

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BROOKLYN
AIDS Cases, Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		482	100.0	18.1	44,417	100.0
Sex at Birth	Male	333	69.1	26.1	30,258	68.1
	Female	149	30.9	10.9	14,159	31.9
Age at Diagnosis	12 & under	.	.	.	729	1.6
	13-19	12	2.5	5.6	366	0.8
	20-24	45	9.3	23.2	1,537	3.5
	25-29	66	13.7	27.7	4,435	10.0
	30-39	124	25.7	30.3	16,657	37.5
	40-49	116	24.1	35.0	13,577	30.6
	50-59	79	16.4	25.2	5,237	11.8
	60+	40	8.3	9.1	1,838	4.1
	Unk	.	.	.	41	0.1
Race/Ethnicity	White Not-Hispanic	39	8.1	4.2	5,032	11.3
	Black Not-Hispanic	314	65.1	36.9	26,127	58.8
	Hispanic	109	22.6	21.8	11,991	27.0
	Asian/PI	2	0.4	0.6	227	0.5
	Native Am	.	.	.	5	0.0
	Multi Race†	18	3.7	.	1,030	2.3
	Unk	.	.	.	5	0.0
Risk	MSM	193	40.0	.	9,292	20.9
	IDU	26	5.4	.	16,060	36.2
	MSM/IDU	6	1.2	.	1,150	2.6
	Heterosexual	75	15.6	.	6,347	14.3
	Fem. Presumed Het.	83	17.2	.	4,099	9.2
	Blood Prod.	.	.	.	234	0.5
	Pediatric Risk	11	2.3	.	906	2.0
	Unk	88	18.3	.	6,329	14.2

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: BROOKLYN
Deaths Among HIV and AIDS Cases (January-December 2013), by Sex at Birth, Age, Race/Ethnicity and Risk

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		74	100.0	396	100.0	470	100.0
Sex at Birth	Male	51	68.9	245	61.9	296	63.0
	Female	23	31.1	151	38.1	174	37.0
Age at Death	12 & under
	13-19
	20-24	1	1.4	3	0.8	4	0.9
	25-29	3	4.1	8	2.0	11	2.3
	30-39	7	9.5	12	3.0	19	4.0
	40-49	8	10.8	85	21.5	93	19.8
	50-59	25	33.8	147	37.1	172	36.6
	60+	30	40.5	141	35.6	171	36.4
Race/Ethnicity	White Not-Hispanic	5	6.8	26	6.6	31	6.6
	Black Not-Hispanic	52	70.3	262	66.2	314	66.8
	Hispanic	13	17.6	87	22.0	100	21.3
	Asian/PI
	Native Am
	Multi Race	4	5.4	21	5.3	25	5.3
	Unk
Risk	MSM	10	13.5	65	16.4	75	16.0
	IDU	13	17.6	117	29.5	130	27.7
	MSM/IDU	2	2.7	11	2.8	13	2.8
	Heterosexual	9	12.2	58	14.6	67	14.3
	Fem. Presumed Het.	15	20.3	73	18.4	88	18.7
	Blood Prod.	.	.	1	0.3	1	0.2
	Pediatric Risk	.	.	2	0.5	2	0.4
	Unk	25	33.8	69	17.4	94	20.0

NEW YORK CITY BOROUGH: MANHATTAN
Living HIV and AIDS Cases as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		14,636	100.0	880.2	19,539	100.0	1242.7	34,175	100.0	2122.9	1,626,159
Sex at Birth	Male	12,260	83.8	1506.7	15,803	80.9	2100.5	28,063	82.1	3607.2	768,147
	Female	2,376	16.2	287.7	3,736	19.1	465.9	6,112	17.9	753.6	858,012
Current Age	12 & under	14	0.1	7.7	3	0.0	1.7	17	0.0	9.4	181,549
	13-19	96	0.7	102.5	38	0.2	40.6	134	0.4	143.1	93,633
	20-24	421	2.9	347.7	202	1.0	166.8	623	1.8	514.5	121,096
	25-29	949	6.5	474.6	374	1.9	187.1	1,323	3.9	661.7	199,940
	30-39	2,881	19.7	972.2	1,554	8.0	524.4	4,435	13.0	1496.7	296,328
	40-49	4,617	31.5	2118.1	5,158	26.4	2366.2	9,775	28.6	4484.3	217,983
	50-59	3,910	26.7	1992.5	7,376	37.8	3758.8	11,286	33.0	5751.3	196,234
	60+	1,748	11.9	547.3	4,833	24.7	1513.2	6,581	19.3	2060.5	319,396
	Unk	.	.	.	1	0.0	.	1	0.0	.	.
Race/Ethnicity	White Not-Hispanic	5,783	39.5	723.6	6,034	30.9	785.1	11,817	34.6	1508.7	787,127
	Black Not-Hispanic	4,085	27.9	1783.4	6,845	35.0	3017.1	10,930	32.0	4800.5	217,768
	Hispanic	3,928	26.8	948.1	5,888	30.1	1512.4	9,816	28.7	2460.5	419,399
	Asian/PI	335	2.3	154.7	287	1.5	160.4	622	1.8	315.2	198,472
	Native Am	13	0.1	365.6	12	0.1	382.5	25	0.1	748.1	3,393
	Multi Race**	292	2.0	.	455	2.3	.	747	2.2	.	.
	Unk	200	1.4	.	18	0.1	.	218	0.6	.	.
Risk	MSM	8,680	59.3	.	9,117	46.7	.	17,797	52.1	.	.
	IDU	740	5.1	.	3,339	17.1	.	4,079	11.9	.	.
	MSM/IDU	280	1.9	.	602	3.1	.	882	2.6	.	.
	Heterosexual	1,235	8.4	.	2,167	11.1	.	3,402	10.0	.	.
	Fem. Presumed Het.	1,139	7.8	.	1,183	6.1	.	2,322	6.8	.	.
	Blood Prod.	4	0.0	.	26	0.1	.	30	0.1	.	.
	Pediatric Risk	191	1.3	.	232	1.2	.	423	1.2	.	.
	Unk	2,367	16.2	.	2,873	14.7	.	5,240	15.3	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 21B

NEW YORK CITY BOROUGH: MANHATTAN
Newly Diagnosed HIV Cases* 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		571	100.0	138	100.0	40	100.0	749	100.0	39.5	19.5
Sex at Birth	Male	502	87.9	113	81.9	38	95.0	653	87.2	71.0	18.4
	Female	69	12.1	25	18.1	2	5.0	96	12.8	10.4	26.6
Age at Diagnosis	12 & under
	13-19	20	3.5	2	1.4	.	.	22	2.9	23.5	9.1
	20-24	85	14.9	12	8.7	5	12.5	102	13.6	84.2	12.4
	25-29	131	22.9	12	8.7	8	20.0	151	20.2	75.5	8.4
	30-39	163	28.5	28	20.3	12	30.0	203	27.1	68.5	14.7
	40-49	95	16.6	45	32.6	12	30.0	152	20.3	69.7	32.1
	50-59	55	9.6	25	18.1	3	7.5	83	11.1	42.3	31.3
	60+	22	3.9	14	10.1	.	.	36	4.8	11.3	38.9
Race/Ethnicity	White Not-Hispanic	175	30.6	35	25.4	15	37.5	225	30.0	23.7	16.7
	Black Not-Hispanic	121	21.2	44	31.9	10	25.0	175	23.4	73.8	26.7
	Hispanic	209	36.6	42	30.4	11	27.5	262	35.0	55.7	16.7
	Asian/PI	23	4.0	4	2.9	1	2.5	28	3.7	10.7	14.8
	Native Am
	Multi Race‡	43	7.5	13	9.4	3	7.5	59	7.9	.	23.2
	Unk
Risk	MSM	407	71.3	87	63.0	29	72.5	523	69.8	.	17.6
	IDU	6	1.1	4	2.9	.	.	10	1.3	.	40.0
	MSM/IDU	12	2.1	.	.	3	7.5	15	2.0	.	.
	Heterosexual	35	6.1	15	10.9	.	.	50	6.7	.	30.0
	Fem. Presumed Het.	42	7.4	16	11.6	2	5.0	60	8.0	.	27.6
	Blood Prod.
	Pediatric Risk
	Unk	69	12.1	16	11.6	6	15.0	91	12.1	.	18.8

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: MANHATTAN
AIDS Cases, Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		397	100.0	22.5	55,274	100.0
Sex at Birth	Male	328	82.6	37.9	45,659	82.6
	Female	69	17.4	8.2	9,615	17.4
Age at Diagnosis	12 & under	.	.	.	420	0.8
	13-19	5	1.3	5.3	217	0.4
	20-24	30	7.6	24.8	1,207	2.2
	25-29	48	12.1	24.0	4,850	8.8
	30-39	95	23.9	32.1	21,478	38.9
	40-49	101	25.4	46.3	17,765	32.1
	50-59	83	20.9	42.3	6,925	12.5
	60+	35	8.8	11.0	2,392	4.3
	Unk	.	.	.	20	0.0
Race/Ethnicity	White Not-Hispanic	94	23.7	11.4	18,733	33.9
	Black Not-Hispanic	156	39.3	66.8	19,079	34.5
	Hispanic	113	28.5	26.2	15,523	28.1
	Asian/PI	9	2.3	4.0	475	0.9
	Native Am	.	.	.	14	0.0
	Multi Race†	25	6.3	.	1,428	2.6
	Unk	.	.	.	22	0.0
Risk	MSM	236	59.4	.	25,495	46.1
	IDU	26	6.5	.	16,045	29.0
	MSM/IDU	7	1.8	.	1,990	3.6
	Heterosexual	42	10.6	.	4,182	7.6
	Fem. Presumed Het.	34	8.6	.	1,896	3.4
	Blood Prod.	.	.	.	168	0.3
	Pediatric Risk	1	0.3	.	518	0.9
	Unk	51	12.8	.	4,980	9.0

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: MANHATTAN**Deaths Among HIV and AIDS Cases (January-December 2013), by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		76	100.0	407	100.0	483	100.0
Sex at Birth	Male	66	86.8	304	74.7	370	76.6
	Female	10	13.2	103	25.3	113	23.4
Age at Death	12 & under
	13-19
	20-24	.	.	1	0.2	1	0.2
	25-29	3	3.9	3	0.7	6	1.2
	30-39	8	10.5	12	2.9	20	4.1
	40-49	14	18.4	74	18.2	88	18.2
	50-59	16	21.1	146	35.9	162	33.5
	60+	35	46.1	171	42.0	206	42.7
Race/Ethnicity	White Not-Hispanic	25	32.9	83	20.4	108	22.4
	Black Not-Hispanic	27	35.5	168	41.3	195	40.4
	Hispanic	17	22.4	129	31.7	146	30.2
	Asian/PI	1	1.3	3	0.7	4	0.8
	Native Am	1	1.3	.	.	1	0.2
	Multi Race	5	6.6	24	5.9	29	6.0
	Unk
Risk	MSM	28	36.8	114	28.0	142	29.4
	IDU	11	14.5	134	32.9	145	30.0
	MSM/IDU	3	3.9	24	5.9	27	5.6
	Heterosexual	11	14.5	48	11.8	59	12.2
	Fem. Presumed Het.	2	2.6	24	5.9	26	5.4
	Blood Prod.	.	.	3	0.7	3	0.6
	Pediatric Risk	.	.	2	0.5	2	0.4
	Unk	21	27.6	58	14.3	79	16.4

NEW YORK CITY BOROUGH: QUEENS
Living HIV and AIDS Cases as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		6,618	100.0	274.4	10,330	100.0	439.1	16,948	100.0	713.6	2,296,175
Sex at Birth	Male	4,819	72.8	406.0	7,374	71.4	651.2	12,193	71.9	1057.2	1,115,121
	Female	1,799	27.2	147.6	2,956	28.6	243.9	4,755	28.1	391.5	1,181,054
Current Age	12 & under	13	0.2	3.8	1	0.0	0.3	14	0.1	4.1	343,797
	13-19	64	1.0	36.6	24	0.2	13.7	88	0.5	50.3	175,051
	20-24	290	4.4	179.8	146	1.4	90.5	436	2.6	270.3	161,286
	25-29	611	9.2	324.2	294	2.8	156.0	905	5.3	480.2	188,464
	30-39	1,434	21.7	407.7	1,141	11.0	324.4	2,575	15.2	732.0	351,772
	40-49	2,015	30.4	620.6	2,928	28.3	901.8	4,943	29.2	1522.4	324,688
	50-59	1,561	23.6	493.5	3,811	36.9	1204.8	5,372	31.7	1698.2	316,326
	60+	628	9.5	144.4	1,984	19.2	456.3	2,612	15.4	600.7	434,791
	Unk	2	0.0	.	1	0.0	.	3	0.0	.	.
Race/Ethnicity	White Not-Hispanic	1,142	17.3	180.0	1,518	14.7	230.9	2,660	15.7	410.9	627,489
	Black Not-Hispanic	2,464	37.2	558.7	4,117	39.9	927.6	6,581	38.8	1486.3	426,963
	Hispanic	2,497	37.7	376.1	4,004	38.8	675.3	6,501	38.4	1051.4	642,259
	Asian/PI	296	4.5	44.1	314	3.0	49.1	610	3.6	93.2	588,826
	Native Am	6	0.1	59.8	12	0.1	127.7	18	0.1	187.6	10,638
	Multi Race**	175	2.6	.	360	3.5	.	535	3.2	.	.
	Unk	38	0.6	.	5	0.0	.	43	0.3	.	.
Risk	MSM	2,931	44.3	.	3,312	32.1	.	6,243	36.8	.	.
	IDU	468	7.1	.	1,905	18.4	.	2,373	14.0	.	.
	MSM/IDU	94	1.4	.	262	2.5	.	356	2.1	.	.
	Heterosexual	1,178	17.8	.	2,027	19.6	.	3,205	18.9	.	.
	Fem. Presumed Het.	769	11.6	.	964	9.3	.	1,733	10.2	.	.
	Blood Prod.	9	0.1	.	32	0.3	.	41	0.2	.	.
	Pediatric Risk	109	1.6	.	175	1.7	.	284	1.7	.	.
	Unk	1,060	16.0	.	1,653	16.0	.	2,713	16.0	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 22B

NEW YORK CITY BOROUGH: QUEENS
Newly Diagnosed HIV Cases* 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		339	100.0	111	100.0	31	100.0	481	100.0	19.4	24.7
Sex at Birth	Male	284	83.8	101	91.0	25	80.6	410	85.2	33.1	26.2
	Female	55	16.2	10	9.0	6	19.4	71	14.8	5.8	15.4
Age at Diagnosis	12 & under	.	.	1	0.9	.	.	1	0.2	0.3	.
	13-19	18	5.3	18	3.7	10.3	.
	20-24	64	18.9	7	6.3	9	29.0	80	16.6	49.6	9.9
	25-29	81	23.9	21	18.9	2	6.5	104	21.6	55.2	20.6
	30-39	80	23.6	26	23.4	10	32.3	116	24.1	33.0	24.5
	40-49	53	15.6	32	28.8	5	16.1	90	18.7	27.7	37.6
	50-59	31	9.1	15	13.5	3	9.7	49	10.2	15.5	32.6
	60+	12	3.5	9	8.1	2	6.5	23	4.8	5.3	42.9
Race/Ethnicity	White Not-Hispanic	36	10.6	15	13.5	5	16.1	56	11.6	8.7	29.4
	Black Not-Hispanic	95	28.0	29	26.1	14	45.2	138	28.7	31.0	23.4
	Hispanic	158	46.6	51	45.9	9	29.0	218	45.3	30.4	24.4
	Asian/PI	26	7.7	10	9.0	1	3.2	37	7.7	5.5	27.8
	Native Am
	Multi Race‡	24	7.1	6	5.4	2	6.5	32	6.7	.	20.0
	Unk
Risk	MSM	228	67.3	68	61.3	15	48.4	311	64.7	.	23.0
	IDU	.	.	1	0.9	1	3.2	2	0.4	.	.
	MSM/IDU	4	1.2	.	.	1	3.2	5	1.0	.	.
	Heterosexual	39	11.5	14	12.6	2	6.5	55	11.4	.	26.4
	Fem. Presumed Het.	29	8.6	7	6.3	4	12.9	40	8.3	.	19.4
	Blood Prod.
	Pediatric Risk	.	.	1	0.9	.	.	1	0.2	.	.
	Unk	39	11.5	20	18.0	8	25.8	67	13.9	.	33.9

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: QUEENS
AIDS Cases, Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		291	100.0	11.9	23,623	100.0
Sex at Birth	Male	232	79.7	19.0	17,568	74.4
	Female	59	20.3	4.9	6,055	25.6
Age at Diagnosis	12 & under	1	0.3	0.3	310	1.3
	13-19	1	0.3	0.6	172	0.7
	20-24	15	5.2	9.3	791	3.3
	25-29	40	13.7	21.2	2,340	9.9
	30-39	79	27.1	22.5	9,364	39.6
	40-49	89	30.6	27.4	7,279	30.8
	50-59	43	14.8	13.6	2,538	10.7
	60+	23	7.9	5.3	820	3.5
	Unk	.	.	.	9	0.0
Race/Ethnicity	White Not-Hispanic	29	10.0	4.6	4,828	20.4
	Black Not-Hispanic	117	40.2	26.8	9,844	41.7
	Hispanic	116	39.9	16.8	7,693	32.6
	Asian/PI	15	5.2	2.2	454	1.9
	Native Am	.	.	.	13	0.1
	Multi Race†	14	4.8	.	785	3.3
	Unk	.	.	.	6	0.0
Risk	MSM	136	46.7	.	6,910	29.3
	IDU	10	3.4	.	7,610	32.2
	MSM/IDU	2	0.7	.	696	2.9
	Heterosexual	54	18.6	.	3,308	14.0
	Fem. Presumed Het.	30	10.3	.	1,546	6.5
	Blood Prod.	.	.	.	152	0.6
	Pediatric Risk	3	1.0	.	383	1.6
	Unk	56	19.2	.	3,018	12.8

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: QUEENS**Deaths Among HIV and AIDS Cases (January-December 2013), by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		33	100.0	173	100.0	206	100.0
Sex at Birth	Male	24	72.7	120	69.4	144	69.9
	Female	9	27.3	53	30.6	62	30.1
Age at Death	12 & under
	13-19
	20-24	.	.	1	0.6	1	0.5
	25-29	2	6.1	7	4.0	9	4.4
	30-39	5	15.2	11	6.4	16	7.8
	40-49	2	6.1	34	19.7	36	17.5
	50-59	13	39.4	64	37.0	77	37.4
	60+	11	33.3	56	32.4	67	32.5
Race/Ethnicity	White Not-Hispanic	5	15.2	31	17.9	36	17.5
	Black Not-Hispanic	16	48.5	67	38.7	83	40.3
	Hispanic	11	33.3	59	34.1	70	34.0
	Asian/PI	.	.	5	2.9	5	2.4
	Native Am
	Multi Race	1	3.0	11	6.4	12	5.8
	Unk
Risk	MSM	8	24.2	31	17.9	39	18.9
	IDU	8	24.2	59	34.1	67	32.5
	MSM/IDU	.	.	7	4.0	7	3.4
	Heterosexual	5	15.2	28	16.2	33	16.0
	Fem. Presumed Het.	3	9.1	11	6.4	14	6.8
	Blood Prod.	.	.	1	0.6	1	0.5
	Pediatric Risk	.	.	2	1.2	2	1.0
	Unk	9	27.3	34	19.7	43	20.9

NEW YORK CITY BOROUGH: STATEN ISLAND
Living HIV and AIDS Cases as of December 2013, by Sex at Birth, Age, Race/Ethnicity and Risk

		Living HIV (not AIDS) Cases			Living AIDS Cases			Living HIV and AIDS Cases			
		Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Number	Percent	Prevalence Rate*	Area Population
Total		770	100.0	159.1	1,143	100.0	230.9	1,913	100.0	390.1	472,621
Sex at Birth	Male	499	64.8	212.5	741	64.8	313.2	1,240	64.8	525.7	228,861
	Female	271	35.2	109.3	402	35.2	156.6	673	35.2	265.8	243,760
Current Age	12 & under	5	0.6	6.6	.	.	.	5	0.3	6.6	75,256
	13-19	22	2.9	51.8	5	0.4	11.8	27	1.4	63.6	42,446
	20-24	34	4.4	103.3	13	1.1	39.5	47	2.5	142.8	32,912
	25-29	53	6.9	172.0	31	2.7	100.6	84	4.4	272.5	30,822
	30-39	133	17.3	222.7	100	8.7	167.4	233	12.2	390.1	59,722
	40-49	202	26.2	301.2	301	26.3	448.8	503	26.3	750.0	67,063
	50-59	232	30.1	335.0	480	42.0	693.1	712	37.2	1028.2	69,250
	60+	89	11.6	93.5	213	18.6	223.9	302	15.8	317.4	95,150
Race/Ethnicity	White Not-Hispanic	243	31.6	77.0	344	30.1	100.9	587	30.7	177.9	301,789
	Black Not-Hispanic	293	38.1	636.0	402	35.2	909.8	695	36.3	1545.8	47,500
	Hispanic	184	23.9	245.7	338	29.6	494.0	522	27.3	739.7	84,441
	Asian/PI	14	1.8	35.4	3	0.3	7.6	17	0.9	43.0	37,995
	Native Am	2	0.3	166.9	4	0.3	557.9	6	0.3	724.7	896
	Multi Race**	27	3.5	.	52	4.5	.	79	4.1	.	.
	Unk	7	0.9	7	0.4	.	.
Risk	MSM	237	30.8	.	232	20.3	.	469	24.5	.	.
	IDU	70	9.1	.	290	25.4	.	360	18.8	.	.
	MSM/IDU	9	1.2	.	38	3.3	.	47	2.5	.	.
	Heterosexual	140	18.2	.	244	21.3	.	384	20.1	.	.
	Fem. Presumed Het.	117	15.2	.	121	10.6	.	238	12.4	.	.
	Blood Prod.	2	0.3	.	4	0.3	.	6	0.3	.	.
	Pediatric Risk	27	3.5	.	29	2.5	.	56	2.9	.	.
	Unk	168	21.8	.	185	16.2	.	353	18.5	.	.

Data as of April 2015.

*per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

**The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

Table 23B

NEW YORK CITY BOROUGH: STATEN ISLAND
Newly Diagnosed HIV Cases* 2013 by Sex at Birth, Age, Race/Ethnicity and Risk

		HIV Non-AIDS A		Concurrent HIV and AIDS B		Uncertain Concurrency C		All HIV Diagnoses** A+B+C			% Concurrent B÷(A+B)*100
		#	%	#	%	#	%	#	%	Case Rate†	%
Total		42	100.0	9	100.0	3	100.0	54	100.0	11.5	17.6
Sex at Birth	Male	36	85.7	5	55.6	1	33.3	42	77.8	18.2	12.2
	Female	6	14.3	4	44.4	2	66.7	12	22.2	5.1	40.0
Age at Diagnosis	12 & under
	13-19	5	11.9	.	.	1	33.3	6	11.1	14.1	.
	20-24	10	23.8	1	11.1	.	.	11	20.4	33.4	9.1
	25-29	9	21.4	9	16.7	29.2	.
	30-39	10	23.8	3	33.3	.	.	13	24.1	21.8	23.1
	40-49	3	7.1	4	44.4	1	33.3	8	14.8	11.9	57.1
	50-59	2	4.8	.	.	1	33.3	3	5.6	4.3	.
	60+	3	7.1	1	11.1	.	.	4	7.4	4.2	25.0
Race/Ethnicity	White Not-Hispanic	9	21.4	3	33.3	2	66.7	14	25.9	4.8	25.0
	Black Not-Hispanic	12	28.6	3	33.3	1	33.3	16	29.6	32.7	20.0
	Hispanic	18	42.9	2	22.2	.	.	20	37.0	21.8	10.0
	Asian/PI
	Native Am
	Multi Race‡	3	7.1	1	11.1	.	.	4	7.4	.	25.0
	Unk
Risk	MSM	23	54.8	3	33.3	.	.	26	48.1	.	11.5
	IDU	.	.	1	11.1	.	.	1	1.9	.	.
	MSM/IDU	2	4.8	2	3.7	.	.
	Heterosexual	2	4.8	2	3.7	.	.
	Fem. Presumed Het.	4	9.5	3	33.3	2	66.7	9	16.7	.	42.9
	Blood Prod.
	Pediatric Risk
	Unk	11	26.2	2	22.2	1	33.3	14	25.9	.	15.4

Data as of April 2015.

*Starting with the June 2015 Report, the method used to identify HIV cases newly diagnosed in 2009 and later has changed. Counts of newly diagnosed cases are not comparable with those from earlier years' reports. Please see Technical Notes.

**Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

†per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

‡The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: STATEN ISLAND
AIDS Cases, Newly Diagnosed (January-December 2013)
and Cumulative (through December 2013) by Sex at Birth, Age, Race/Ethnicity and Risk

		AIDS Diagnoses*			Cumulative AIDS Cases	
		Number	Percent	Case Rate**	Number	Percent
Total		26	100.0	5.4	3,335	100.0
Sex at Birth	Male	15	57.7	6.4	2,361	70.8
	Female	11	42.3	4.4	974	29.2
Age at Diagnosis	12 & under	.	.	.	43	1.3
	13-19	1	3.8	2.4	25	0.7
	20-24	1	3.8	3.0	101	3.0
	25-29	2	7.7	6.5	266	8.0
	30-39	5	19.2	8.4	1,308	39.2
	40-49	9	34.6	13.4	1,127	33.8
	50-59	6	23.1	8.7	356	10.7
	60+	2	7.7	2.1	107	3.2
	Unk	.	.	.	2	0.1
Race/Ethnicity	White Not-Hispanic	10	38.5	3.0	1,318	39.5
	Black Not-Hispanic	10	38.5	20.4	1,080	32.4
	Hispanic	5	19.2	5.9	786	23.6
	Asian/PI	.	.	.	8	0.2
	Native Am	.	.	.	5	0.1
	Multi Race†	1	3.8	.	137	4.1
	Unk	.	.	.	1	0.0
Risk	MSM	6	23.1	.	670	20.1
	IDU	3	11.5	.	1,447	43.4
	MSM/IDU	2	7.7	.	103	3.1
	Heterosexual	1	3.8	.	457	13.7
	Fem. Presumed Het.	8	30.8	.	202	6.1
	Blood Prod.	.	.	.	42	1.3
	Pediatric Risk	1	3.8	.	60	1.8
	Unk	5	19.2	.	354	10.6

Data as of April 2015.

*Persons diagnosed with HIV may also be diagnosed with AIDS in the same year or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

**per 100,000 population. Rates for Total, Sex at Birth and Race/Ethnicity are age-adjusted to the 2010 US Census Population.

†The completeness and uniformity of reporting of the "multi race" category is uncertain and, therefore, rates are not shown.

NEW YORK CITY BOROUGH: STATEN ISLAND**Deaths Among HIV and AIDS Cases (January-December 2013), by Sex at Birth, Age, Race/Ethnicity and Risk**

		Deaths Among HIV Cases		Deaths Among AIDS Cases		Total Deaths	
		Number	Percent	Number	Percent	Number	Percent
Total		5	100.0	40	100.0	45	100.0
Sex at Birth	Male	4	80.0	26	65.0	30	66.7
	Female	1	20.0	14	35.0	15	33.3
Age at Death	12 & under
	13-19
	20-24	1	20.0	.	.	1	2.2
	25-29	.	.	2	5.0	2	4.4
	30-39	1	20.0	2	5.0	3	6.7
	40-49	.	.	9	22.5	9	20.0
	50-59	.	.	14	35.0	14	31.1
	60+	3	60.0	13	32.5	16	35.6
Race/Ethnicity	White Not-Hispanic	.	.	9	22.5	9	20.0
	Black Not-Hispanic	2	40.0	11	27.5	13	28.9
	Hispanic	2	40.0	19	47.5	21	46.7
	Asian/PI
	Native Am
	Multi Race	1	20.0	1	2.5	2	4.4
	Unk
Risk	MSM	1	20.0	4	10.0	5	11.1
	IDU	1	20.0	18	45.0	19	42.2
	MSM/IDU	.	.	3	7.5	3	6.7
	Heterosexual	.	.	4	10.0	4	8.9
	Fem. Presumed Het.	1	20.0	6	15.0	7	15.6
	Blood Prod.	.	.	1	2.5	1	2.2
	Pediatric Risk	.	.	1	2.5	1	2.2
	Unk	2	40.0	3	7.5	5	11.1